

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified" attributeFormDefault="unqualified">
    <!--
```

This is a change to the XML Schema based upon changes to Inpatient Data Reporting Instructions, 59E-7.012, F.A.C. adopted January 1, 2023.

This will be posted at:<http://ahca.myflorida.com/xmlschemas/PD10-5.xsd>.

The content and structure of this file is maintained by the Agency for Health Care Information - State of Florida. Usage of this schema does NOT guarantee acceptance of files submitted to the Agency for Health Care Information based upon this schema.
HISTORY:

Created: 10/20/2022 Siva & Sasi - Updated for 10-5 schema for the new Fddc system
-->

```
<xs:element name="HC_DATA">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="HEADER" type="HEADERType"/>
            <xs:element name="RECORDS">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element name="RECORD" type="RECORDType" maxOccurs="unbounded"/>
                    </xs:sequence>
                </xs:complexType>
                <xs:key name="PATIENT_CONTROL_NUMBER">
                    <xs:selector xpath="RECORD"/>
                    <xs:field xpath="@id"/>
                </xs:key>
            </xs:element>
            <xs:element name="TRAILER" type="TRAILERType"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:complexType name="RECORDType">
    <xs:sequence>
        <xs:element name="AHCA_NUM">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:minLength value="1"/>
                    <xs:maxLength value="8"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="MED_REC_NUM">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:pattern value="[A-Za-z0-9_-]{1,24}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
    </xs:sequence>

```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="PATIENT_SSN" type="SSNTType" minOccurs="1"/>
<xs:element name="PATIENT_ETHNICITY" >
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="E[1,2,7]"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="PATIENT_RACE" type="PREType"/>
<xs:element name="PATIENT_BIRTHDATE" minOccurs="1" type="DateType">
</xs:element>
<xs:element name="PATIENT_SEX" type="PSEXTType"/>
<xs:element name="PATIENT_ZIP" minOccurs="1">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="\d{5}"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="PATIENT_COUNTRY">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="[A-Z][A-Z][9][9]"/>
<xs:length value="2" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="TYPE_OF_SERVICE">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="[1,2]"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="ADMIT_PRIORITY">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="[1,2,3,4,5]"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="ADMIT_SOURCE">
<xs:simpleType>
```

```

<xs:restriction base="xs:string">
  <xs:pattern value="[0][1,2,4-6,8-9][D,E,F][1][0,3]" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="ADMIT_DATE" type="DateType">
</xs:element>
<xs:element name="INP_ADMIT_TIME">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:pattern value="[0,1][0-9][2][0,1,2,3][9][9]" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="DISCH_DATE" type="DateType">
</xs:element>
<xs:element name="DISCH_TIME">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:pattern value="[0,1][0-9][2][0,1,2,3][9][9]" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="DISCH_STATUS">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:pattern value="[0][1-7][2][0,1][5][0,1][6][2-6][7][0]" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="PRINC_PAYER_CODE" type="PPCType" />
<xs:element name="PRINC_DIAG_CODE" type="ICD10DiagType" />
<xs:element name="OTHER_DIAG_CODE" type="ICD10DiagType" minOccurs="0"
maxOccurs="30" />
<xs:element name="PRIN_PROC_CODE" type="Proc_Type" minOccurs="0" />
<xs:element name="OTHER_PROC_CODE" type="Proc_Type" minOccurs="0"
maxOccurs="30" />
<xs:element name="ATTENDING_PRACT_ID" minOccurs="1" >
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:pattern value="[A-Z0-9]{1,15}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="ATTENDING_PRACT_NPI" minOccurs="1" >
<xs:simpleType>

```

```
<xs:restriction base="xs:string">
  <xs:pattern value="[0-9]{10}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="OPERATING_PRACT_ID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[A-Z0-9]{1,15}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="OPERATING_PRACT_NPI" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9]{10}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="OTHER_PRACT_ID" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[A-Z0-9]{1,15}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="OTHER_PRACT_NPI" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9]{10}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="ROOM_BOARD_CHARGES" type="ChargeType" />
<xs:element name="NURSERY_LEVEL_1_CHARGES" type="ChargeType" />
<xs:element name="NURSERY_LEVEL_2_CHARGES" type="ChargeType" />
<xs:element name="NURSERY_LEVEL_3_CHARGES" type="ChargeType" />
<xs:element name="INTENSIVE_CARE_CHARGES" type="ChargeType" />
<xs:element name="CORONARY_CARE_CHARGES" type="ChargeType" />
<xs:element name="PHARMACY_CHARGES" type="ChargeType" />
<xs:element name="MED_SURG_SUPPLY_CHARGES" type="ChargeType" />
<xs:element name="LAB_CHARGES" type="ChargeType" />
<xs:element name="RADIOLOGY_IMAGING_CHARGES" type="ChargeType" />
<xs:element name="CARDIOLOGY_CHARGES" type="ChargeType" />
<xs:element name="RESPIRATORY_PULMONARY_CHARGES"
  type="ChargeType" />
```

```

<xs:element name="OPER_ROOM_CHARGES" type="ChargeType"/>
<xs:element name="ANESTHESIA_CHARGES" type="ChargeType"/>
<xs:element name="RECOVERY_ROOM_CHARGES" type="ChargeType"/>
<xs:element name="LABOR_ROOM_CHARGES" type="ChargeType"/>
<xs:element name="ER_ROOM_CHARGES" type="ChargeType"/>
<xs:element name="TRAUMA_RESPONSE_CHARGES" type="ChargeType"/>
<xs:element name="TREATMENT_OBSERVATION_ROOM_CHARGES"
type="ChargeType"/>
<xs:element name="BEHAVIORAL_HEALTH_CHARGES" type="ChargeType"/>
<xs:element name="ONCOLOGY_CHARGES" type="ChargeType"/>
<xs:element name="PHYS_THERAPY_CHARGES" type="ChargeType"/>
<xs:element name="OCCUPATIONAL_THERAPY_CHARGES" type="ChargeType"
/>
<xs:element name="SPEECH_THERAPY_CHARGES" type="ChargeType" />
<xs:element name="COMP_REHAB_CHARGES" type="ChargeType"/>
<xs:element name="OTHER_CHARGES" type="ChargeType"/>
<xs:element name="TOTAL_CHARGES" type="GrossChargeType"/>
<xs:element name="INFANT_LINKAGE_ID" type="SSNTYPE" />
<xs:element name="ADMIT_DIAGNOSIS" type="ICD10DiagBaseType"/>
<xs:element name="ECMORB" minOccurs="0" maxOccurs="3"
type="ICD10ECMorbCodeType" />
<xs:element name="EMERG_DATE_ARRIVAL" minOccurs="1" >
<xs:simpleType>
<xs:union>
<xs:simpleType>
<xs:restriction base="xs:date"/>
</xs:simpleType>
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="0000-00-00"/>
</xs:restriction>
</xs:simpleType>
</xs:union>
</xs:simpleType>
</xs:element>
<xs:element name="EMERG_HOUR_ARRIVAL">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="[0,1][0-9][2][0,1,2,3][9][9]"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="CONDITION_CODE" minOccurs="0">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="[P][7][0][0]"/>

```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="id">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="[A-Za-z0-9 _-]{1,24}" />
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
<xs:complexType name="Proc_Type">
  <xs:sequence>
    <xs:element name="PROC_CODE" type="ICD10ProcType"/>
    <xs:element name="PROC_DATE" type="DateType">
      </xs:element>
    </xs:sequence>
  </xs:complexType>
<xs:complexType name="TRAILERType">
  <xs:sequence>
    <xs:element name="NUMBER_OF_RECORDS">
      <xs:simpleType>
        <xs:restriction base="xs:positiveInteger"/>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="HEADERType">
  <xs:sequence>
    <xs:element name="RPT_YEAR">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:pattern value="[2][0-9][1-9][0-9]" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="RPT_QTR">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:pattern value="[1-4]" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="DATA_TYPE">
      <xs:simpleType>
```

```
<xs:restriction base="xs:string">
  <xs:pattern value="PD10-5"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="SUBMISSION_TYPE">
<xs:simpleType>
<xs:restriction base="xs:string">
  <xs:pattern value="[IR]"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="PROCESS_DATE" type="DateType">
</xs:element>
<xs:element name="AHCA_NUM">
<xs:simpleType>
<xs:restriction base="xs:string">
  <xs:minLength value="1"/>
  <xs:maxLength value="8"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="MEDICARE_NUM">
<xs:simpleType>
<xs:restriction base="xs:string">
  <xs:pattern value="[0-9][0-9][0-9][0-9][0-9][0-9][0-9][0-9]"/>
  <xs:minLength value="7"/>
  <xs:maxLength value="7"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="ORG_NAME">
<xs:simpleType>
<xs:restriction base="xs:string">
  <xs:minLength value="1"/>
  <xs:maxLength value="40"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:simpleType name="SSNTYPE">
<xs:restriction base="xs:string">
  <xs:pattern value="[0-9]{9}"/>
</xs:restriction>
</xs:simpleType>
```

```

<xs:simpleType name="PREType">
  <xs:restriction base="xs:positiveInteger">
    <xs:pattern value="[1-7]" />
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="PSEXType">
  <xs:restriction base="xs:string">
    <xs:pattern value="[MFU]" />
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="PPCType">
  <xs:restriction base="xs:string">
    <xs:pattern value="[A-E,H-O,Q]" />
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ICD10DiagBaseType">
  <xs:restriction base="xs:string">
    <xs:pattern value="[A-Z][0-9][0-9A-Z]\.[0-9A-Z]{0,4}|[A-Z][0-9][0-9A-Z]" />
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="ICD10DiagType">
  <xs:sequence>
    <xs:element name="DIAG_CODE" type="ICD10DiagBaseType" />
    <xs:element name="PRESENT_ON_ADMIT" minOccurs="1" maxOccurs="1">
      <xs:simpleType>
        <xs:restriction base="xs:NMTOKEN">
          <xs:enumeration value="Y" />
          <xs:enumeration value="N" />
          <xs:enumeration value="U" />
          <xs:enumeration value="W" />
          <xs:enumeration value="1" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:simpleType name="ICD10ProcType">
  <xs:restriction base="xs:string">
    <xs:pattern value="[0-9A-Z]{7}" />
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ICD10ECMorbCode BaseType">
  <xs:restriction base="xs:string">
    <xs:pattern value="[A-Z]\d{2}\.[0-9A-Z]{0,4}|[A-Z]\d{2}" />
  </xs:restriction>
</xs:simpleType>

```

```
<xs:complexType name="ICD10ECMorbCodeType">
<xs:sequence>
<xs:element name="DIAG_CODE" type="ICD10ECMorbCodeBaseType"/>
<xs:element name="PRESENT_ON_ADMIT">
<xs:simpleType>
<xs:restriction base="xs:NMTOKEN">
<xs:enumeration value="Y"/>
<xs:enumeration value="N"/>
<xs:enumeration value="U"/>
<xs:enumeration value="W"/>
<xs:enumeration value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:simpleType name="ChargeType">
<xs:restriction base="xs:string">
<xs:pattern value="\d{1,15}"/>
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="GrossChargeType">
<xs:restriction base="xs:string">
<xs:pattern value="\d{1,20}"/>
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="DateType">
<xs:union>
<xs:simpleType>
<xs:restriction base="xs:date"/>
</xs:simpleType>
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:pattern value="([012][0-9]{3}-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9])|([01-9]|12)[1-9]3[01])"/>
</xs:restriction>
</xs:simpleType>
</xs:union>
</xs:simpleType>
</xs:complexType>
```