



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Abilify (aripiprazole) 2mg, 5mg, 20mg, 30mg tablets	Minimum age = 6; Maximum of 1 tablet per day
Abilify (aripiprazole) 10mg, 15mg tablets	Minimum age = 6; Maximum of 15mg per day for ages = 6 - 11; Maximum of 30mg per day for ages = 12-17 Maximum of 1 tablet per day
Abilify (aripiprazole) Asimtufii	Minimum age = 18; Maximum days supply = 60 <b>For 720mg/2.4mL:</b> Maximum of 2.4mL every 60 days <b>For 960mg/3.2mL:</b> Maximum of 3.2mL every 60 days
Abilify (aripiprazole) Discmelt 10mg, 15mg tabs	Minimum age = 6; Maximum of 15mg per day for ages = 6 - 11; Maximum of 30mg per day for ages = 12-17; Maximum of 2 tablets per day
Abilify (aripiprazole) 1mg/ml solution	Minimum age = 6; Maximum of 15ml per day for ages = 6 - 11; Maximum of 30ml per day for ages = 12-17; Maximum of 30ml per day for ages ≥ 18
Abilify Maintena (aripiprazole) syringe/vial	Minimum age = 18; Maximum of 1 syringe or vial every 28 days
Abilify Mycite (aripiprazole)	Minimum age = 18 Maximum of 30 mg per day <b>For Stater Kit:</b> Maximum of 1 fill every 365 days
Abrilada (CF) (adalimumab-AFZB) pen, syringe	Minimum age = 2
Absorica (isotretinoin) capsules/LD capsules	Minimum age = 12
Abstral (fentanyl citrate) sublingual tablets	Minimum age = 18; Maximum of 4 sublingual tablets per day
Acanya (benzoyl peroxide/clindamycin) gel, gel pump	Minimum Age= 12
Accolate (zafirlukast) tablets	Maximum of 3 tablets per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Accrufer (ferric maltol) capsule	Minimum age = 18
Aciphex (rabeprazole) 5mg, 10mg sprinkle capsules	Minimum age = 1; Maximum age = 11; Maximum of 1 capsule per day
Aciphex (rabeprazole) 20mg tablets	Minimum age = 1; Maximum of 2 tablets per day
Acitretin capsules	Minimum age = 18
Actemra (tocilizumab) syringe/vial/Actpen	Minimum age= 2 <b>For Vials:</b> Maximum of 40 mLs every 28 days <b>For Syringe/Actpen:</b> Maximum of 3.6 mLs every 28 days
Actimmune (Interferon Gamma-1b)	Maximum of 6ml every 28 days
Actiq (fentanyl citrate) Lozenges	Minimum age = 18; Maximum of 4 lozenges per day
Activella (estradiol/norethindrone) tablets	Minimum age = 18
Actonel (risedronate) 30mg tablets	Minimum age = 18 Maximum of 60 tablets every 120 days
Actonel (risedronate) Weekly	Minimum age = 18 Maximum of 4 tablets every 28 days
Acyclovir oral suspension	Maximum age = 17
Aczone (dapson) 5% gel	Minimum Age= 12
Aczone (dapson) 7.5% gel pump	Minimum Age= 9
Adakveo (crizanlizumab-tmca) 100 mg/10 ml vial	Minimum age = 16
Adalimumab-ADAZ (CF) pen, syringe	Minimum age = 2
Adalimumab-FKJP (CF) syringe	Minimum age = 2
Adbry (tralokinumab-LDRM) syringe	Minimum age = 12
Adcetris (brentuximab vedotin) vials	Minimum age = 2



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Adderall (dextroamphetamine/amphetamine) 5mg, 7.5mg	Minimum age = 3; Maximum of 2 tablets per day for ages = 0-5; Maximum of 6 tablets per day for ages =/ > 18
Adderall (dextroamphetamine/amphetamine) 10mg tablets	Minimum age = 3; Maximum of 1 tablet per day for ages = 0-5; Maximum of 6 tablets per day for ages ≥ 18
Adderall (dextroamphetamine/amphetamine) 12.5mg, 15mg tablets	Minimum age = 3; Maximum of 1 tablet per day for ages = 0-5; Maximum of 4 tablets per day for ages ≥ 18
Adderall (dextroamphetamine/amphetamine) 20mg tablets	Minimum age = 3; Maximum of 0.75 tablets per day for ages = 0-5; Maximum of 3 tablets per day for ages ≥ 18
Adderall (dextroamphetamine/amphetamine) 30mg tablets	Minimum age = 3; Maximum of 0.5 tablets per day for ages = 0-5; Maximum of 2 tablets per day for ages ≥ 18
Adderall XR (dextroamphetamine/amphetamine) 5mg, 10mg, 15mg capsules	Minimum age =6; Maximum of 1 capsule per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Adderall XR (dextroamphetamine/amphetamine) 20mg capsules	Minimum age =6; Maximum of 0.75 capsules per day for ages = 0-5 Maximum of 2 capsules per day for ages ≥ 18
Adderall XR (dextroamphetamine/amphetamine) 25mg capsules	Minimum age =6; Maximum of 0.6 capsules per day for ages = 0-5 Maximum of 2 capsules per day for ages ≥ 18
Adderall XR (dextroamphetamine/amphetamine) 30mg capsules	Minimum age =6; Maximum of 0.5 capsules per day for ages = 0-5 Maximum of 2 capsules per day for ages ≥ 18
Adhansia (methylphenidate) XR capsules	Minimum age = 6
Adlarity (donepezil) patch	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Adlyxin (lixisenatide) maintenance pack, starter pack	Minimum age = 18 <b>For Maintenance pack:</b> Maximum of 6mLs every 25 days <b>For Starter pack:</b> Maximum of 6mLs every 365 days
Adstiladrin (nadofaragene firadenovec-VNCG) vial	Minimum age = 18
Aduhelm (aducanumab-avwa) vials	Minimum age = 18
Adzenys (dextroamphetamine/amphetamine) ER 1.25mg/mL suspension	Minimum age = 6; Maximum of 10 mLs per day
Adzenys (dextroamphetamine/amphetamine) XR-ODT tablets	Minimum age = 6
Advair (fluticasone and salmeterol) diskus, HFA inhaler	Minimum age = 4 (Diskus formulation) Minimum age = 4 (HFA formulation); Maximum of 1 inhaler every 30 days
Aerospan (flunisolide) HFA inhaler	Minimum age = 5
Afinitor (everolimus) 2.5mg, 5mg, 7.5mg , 10mg tablets	Minimum age = 1; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Afinitor (everolimus) 2mg, 5mg disperz tablet for suspension	Minimum age = 1; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Afinitor (everolimus) 3mg disperz tablet for suspension	Minimum age = 1; Maximum of 3 tablets per day; Maximum of 90 tablets every 30 days.
Agamree (vamorolone) suspension	Minimum age = 2
Aimovig (erenumab-aooe) autoinjector	Minimum age = 18
Airduo (fluticasone propionate/salmeterol) Digihaler	Minimum age = 12
Airduo (fluticasone propionate/salmeterol) Resplick	Minimum age = 12
Airsupra (albuterol sulfate/budesonide) inhaler	Minimum age = 18



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Ajovy (fremanezumab-vfrm) auto-injector, syringe	Minimum age = 18; Maximum of 4.5ml (3 syringes) every 90 days; Maximum day supply per fill = 90
Akeega (niraparib/abiraterone) tablet	Minimum age = 18
Aklief (trifarotene) cream	Minimum age = 9
Albenza (albendazole) 200mg tablets	Maximum of 4 tablets per day
Albuterol HFA inhaler	Maximum of 2 inhalers every 30 days
Albuterol Nebulization (0.63mg/3ml, 1.25mg/3ml, and 2.5mg/3ml)	Maximum of 375ml every 30 days
Albuterol Nebulization (2.5mg/0.5ml)	Maximum of 120ml every 30 days
Albuterol Nebulizations (20ml bottle)	Maximum of 60ml every 30 days
Aldara (imiquimod)	Minimum age = 12; Maximum of 2 boxes every 16 weeks
Alecensa (alectinib) capsules	Minimum age = 18; Maximum of 8 capsules per day Maximum of 240 capsules every 30 days
<b>Alhemo (concizumab-MTCl) pen</b>	<b>Minimum age = 12</b>
Alkeran (melphalan) tablets	Minimum age = 18
Alkindi (hydrocortisone) sprinkle capsule	Maximum age = 17
Alora (estradiol) patches	Maximum of 8 patches every 30 days
Aloxi (palonosetron) 0.25mg/5 ml vial	Maximum of 40ml every 28 days
Alphagan P (brimonidine) drops	Maximum of 10ml every 30 days
Alpha-1 Proteinase Inhibitors (Aralast NP, Glassia, Prolastin C, Zemaira)	Minimum age = 18
Alprazolam Intensol Solution	Maximum of 6ml per day
Altabax (retapamulin) ointment	Maximum of 15gm every 30 days; Maximum of 2 prescription fills every 60 days
Altreno (tretinoin) lotion	Minimum age = 9



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Alunbrig (brigatinib) tablets/dose pack	Minimum age = 18 <b>For 30mg tablets:</b> Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days <b>For 90mg and 180mg tablets, 90-180mg dose pack:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Alvaiz (eltrombopag choline) tablets	Minimum age = 6
Alvesco (ciclesonide) inhaler	Minimum age = 5; Maximum of 2 inhalers (12.2 gm) every 28 days; Maximum days supply = 56
Alyftrek (vanzacaftor/tezacaf/deutivacaf) tablets	Minimum age = 6
Alyglo (immune globulin;gamma(IGG)STWK) 10% vial	Minimum age = 17
Amabelz (estradiol/norethindrone) tablets	Minimum age = 18
Amantadine	Minimum age = 1
Amaryl (glimepiride) 4mg tablet	Maximum of 2 tablets per day
Ambien/Ambien CR (zolpidem) Tablets	Minimum age = 18
Amerge (naratriptan) tablets	Maximum of 9 tablets every 30 days; Minimum age = 18
Amitiza (lubiprostone) capsules	Minimum age 18; Maximum quantity per fill = 60 tablets
Amitriptyline tablets	Minimum age = 12; Maximum of 150 mg per day; <b>For 10mg tablets:</b> Maximum of 8 tablets per day <b>For 25mg and 50mg tablets:</b> Maximum of 4 tablets per day <b>For 75mg tablets:</b> Maximum of 2 tablets per day <b>For 100mg and 150mg tablets:</b> Maximum of 1 tablet per day



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Amitriptyline/Chlordiazepoxide tablets	Minimum age = 18; Maximum of 6 tablets per day
Amjevita (adalimumab-ATTO) autoinjector, syringe	Minimum age = 2; <b>For 10mg/0.2mL syringe:</b> Maximum of 2 pens (0.4mLs) every 28 days <b>For 20mg/0.4mL syringe:</b> Maximum of 4 pens (1.6mLs) every 28 days <b>For 40mg/0.8mL autoinjector/syringe:</b> Maximum of 4 pens (3.2mLs) every 28 days
Amnesteem (isotretinoin) 10mg, 20mg, 40mg capsules	Minimum age = 12
Amoxapine tablets	Minimum age = 16; Maximum of 400 mg per day; <b>For 25 mg, 50 mg, 150 mg tablets:</b> Maximum of 3 tablets per day <b>For 100 mg tablets:</b> Maximum of 4 tablets per day
Ampyra (dalfampridine) 10mg ER tablets	Minimum age= 18 Maximum 2 tablets per day
Amtagvi (lifileucel) cassette, infusion bag	Minimum age = 18
Amvuttra (vutrisiran) syringe	Minimum age = 18
Amzeeq (minocycline hcl) 4% foam	Minimum age = 9
Anafranil (clomipramine) capsules	Minimum age = 10
Analgesic, narcotics (excluding short acting narcotics)	Maximum days supply = 30



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Analgesic, short acting narcotics	<p><b>For Schedule II:</b> Maximum day supply = 3 Maximum of two 3-day supplies every 30 days</p> <p><b>For Schedule II with 'Acute Pain Exemption' on Rx:</b> Maximum day supply = 7 Maximum of two 7-day supplies every 30 days</p> <p><b>For Schedule III-V:</b> Maximum days supply = 14 Maximum of 14 day supply every 30 days *excluding recipients with a diagnosis of Cancer, Sickle Cell, CNMP (chronic non-malignant pain) or LTC (Long term care coverage indicator)</p>
Androderm (testosterone) patch	<p>Minimum age = 18 <b>For 2mg/24hr patch:</b> Maximum of 1 patch per day</p>
AndroGel (testosterone) Transdermal packet, MD pump	Minimum age = 18
Anjeso (meloxicam) vial	Minimum age = 18
Anktiva (nogapendekin alfa inbatic-PMLN) vial	Minimum age = 18
Annovera (segesteron/ethinyl estradiol) vaginal ring	Minimum age = 12
Anoro (umeclidinium/vilanterol) Ellipta inhaler	Minimum age = 18
Antitussives-expectorants; Cough and Cold Preparations	Maximum age = 20; Maximum of 300ml every 30 days
Antitussive, non-narcotic	Maximum age = 20
Anzemet (dolasetron) 50mg and 100mg tablet	Maximum of 8 tablets every 28 days
Anzemet (dolasetron) 12.5mg vial	Maximum of 5ml every 28 days
Anzemet (dolasetron) 20mg/ml vial	Maximum of 40ml every 28 days
Anxiolytic Benzodiazepines**	Maximum of 90 tablets/capsules every 30 days
Apadaz (benzhydrocodone/acetaminophen) tablets	Minimum age = 18
Aplenzin (bupropion) ER tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 552 mg per day





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Apokyn (apomorphine)	Minimum age = 18
Apretude (cabotegravir) ER vial	Minimum age = 12; Maximum of 7 vials per year
Aptensio XR (methylphenidate) 10mg, 15mg, 20mg capsules	Minimum age = 6; Maximum of 1 capsule per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Aptensio XR (methylphenidate) 30mg capsules	Minimum age = 6; Maximum of 0.833 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Aptensio XR (methylphenidate) 40mg capsules	Minimum age = 6; Maximum of 0.625 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Aptensio XR (methylphenidate) 50mg capsules	Minimum age = 6; Maximum of 0.50 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Aptensio XR (methylphenidate) 60mg capsules	Minimum age = 6; Maximum of 0.416 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Aptiom (eslicarbazepine acetate) tablets	Minimum age = 4
Aquadeks (vitamins) Pediatric Solution	Maximum age = 3; Maximum of 60mls every 30 days
Aquadeks (vitamins) Softgel & chewable tablets	Minimum age of 4 years; Maximum of 2 per day
Arazlo (tazarotene) lotion	Minimum age = 9
Arcalyst (rilonacept) powder for injection	Maximum of 4 vials every 28 days
Arcapta (indacaterol) Neohaler capsules, Powder for inhalation	Minimum age = 18; Maximum of 1 fill every 30 days; Maximum of 30 capsules per fill
Aricept (donepezil)	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Arimidex (anastrozole) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Aristada (aripiprazole ER) 441mg/1.6ml syringe	Minimum age =18 Maximum of 882mg (1.6 mLs) every 28 days
Aristada (aripiprazole ER) 662mg/2.4ml syringe	Minimum age =18 Maximum of 882mg (2.4 mLs) every 28 days
Aristada (aripiprazole ER) 882mg/3.2 ml syringe	Minimum age =18 Maximum of 882 mg (3.2 mLs) every 28 days Maximum day supply = 42
Aristada (aripiprazole ER) 1064mg/3.9 ml syringe	Minimum age =18; Maximum of 1064 mg (3.9 mLs) every 60 days Maximum day supply = 60
Aristada (aripiprazole ER) Initio ER 675mg/2.4ml syringe	Minimum age =18; Maximum of 1 fill (2.4mLs) every 6 months (180 days)
Armonair (fluticasone propionate) Digihaler 55mcg	Minimum age = 4
Armonair (fluticasone propionate) Digihaler 113mcg and 232mcg	Minimum age = 12
Armonair (fluticasone propionate) Respiclick	Minimum age = 4
Arnuity Ellipta (fluticasone furoate) inhaler	Minimum age = 5
Aromasin (exemestane) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Arymo (morphine sulfate) ER tablets	Minimum age = 18
Asceniv (immunoglobulin,gamma(igg)slra) 10% vial	Minimum age = 12
Asmanex (mometasone) inhaler	Minimum age = 4 (Twisthaler formulation) Minimum age = 5 ( HFA formulation) Maximum of 1 inhaler every 30 days
Asparlas (calaspargase pegol-mknl) vial	Maximum age = 21
Ativan (lorazepam) 0.5mg, 1mg, 2mg tablets	Maximum of 5 tablets per day; Maximum of 150 tablets every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Ativan (lorazepam intensol)	Maximum of 5ml per day
Atorvaliq (atorvastatin calcium) suspension	Minimum age = 10
Atralin (tretinoin) gel	Minimum Age= 10
Atripla (efavirenz/emtricitab/tenofovir) tablets	Minimum age = 12; Maximum of 1 tablet per day
Atrovent (ipratropium) HFA inhaler	Maximum of 25.8 gm (2 inhalers) every 30 days
Atrovent (ipratropium) Nasal Spray 0.03%	Maximum of 60ml every 30 days(2 bottles)
Atrovent (ipratropium) Nasal Spray 0.06%	Maximum of 30ml every 30 days(2 bottles)
Attruby (acoramidis hcl) tablets	Minimum age = 18
Aubagio (teriflunomide) tablets	Minimum age = 18 Maximum of 1 tablet per day Maximum 14mg per day
Aucatzyl (obecabtagene autoleucel) bag	Minimum age = 18
Augtyro (repotrectinib) capsules	Minimum age = 12
Austedo (deutetrabenazine) tablets, XR tablets	Minimum age = 18; Maximum of 48mg per day <b>For 6 mg tablets:</b> Maximum of 2 tablets per day <b>For 9 mg &amp; 12 mg tablets:</b> Maximum of 4 tablets per day <b>For XR tablets:</b> Maximum of 1 tablets per day
Auvelity (dextromethorphan hbr/bupropion) tablets	Minimum age = 18
Aveed (testosterone undecanoate) vial	Minimum age = 18
Avelox (moxifloxacin) tablets	Minimum age = 12
Avita (tretinoin) cream, gel	Minimum Age= 12
Avonex (interferon beta-1a) 30mcg/0.5ml dispense syringe, injectable pen	Minimum age = 18; Maximum of 4ml every 28 days
Avonex (interferon beta-1a) 30mcg/0.5ml kit	Minimum age = 18; Maximum of 4 kits every 28 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Avsola (infliximab-AXXQ) vial	Minimum age = 6; Maximum of 14 vials every 28 days
Axert (almotriptan) 6.25mg and 12.5mg tablets	Minimum age = 12; Maximum of 6 tablets every 30 days
Axiron (testosterone) MD pump	Minimum age = 18
Axtle (pemetrexed dipotassium) vial	Minimum age = 18
Ayvakit (avapritinib) tablets	Minimum age = 18
Azasite drops (azithromycin)	Maximum of 2.5ml every 30 days
Azelex (azelaic acid) Cream	Minimum Age= 12
Azilect (rasagiline)	Minimum age = 18
Azmiro (testosterone cypionate) syringe	Minimum age = 12
Azstarys (serdexmethylphenidate/dexmethylphenidate) capsule	Minimum age = 6
Baclofen 10mg & 20mg tablets	Maximum 80mg per day Maximum 4 tablets per day
Baclofen intrathecal (Gablofen IT; Lioresal IT) solution for injection	Minimum age = 4; Maximum days = 120 days
Baclofen solution	Minimum age = 12; <b>For 5mg/5mL solution:</b> Maximum of 80mLs per day <b>For DS 10mg/5mL solution:</b> Maximum of 40mLs per day
Bactroban (mupirocin) Nasal ointment	Maximum of 10g (1box) every 30 days
Balversa (erdafitinib) tablets	Minimum age = 18
Banzel (rufinamide) Suspension, tablets	Minimum age = 1
Baqsimi (glucagon) spray	Minimum age = 4
Baxdela (delafloxacin meglumine) vials, tablets	Minimum age = 18
Belbuca (buprenorphine) film	Minimum age = 18
Belladonna-Opium Suppositories	Minimum age = 18
Belsomra (suvorexant) tablets	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Benlysta (belimumab)	<b>For 120mg, 400mg vial:</b> Minimum age = 5 <b>For 200mg/mL auto injector/syringe:</b> Minimum age = 18
Benzaclin(benzoyl peroxide /clindamycin) gel pump	Minimum Age= 12
Benzamycin (erythromycin/ benzoyl peroxide) gel	Minimum Age= 12
Benzoyl peroxide/Benzoyl peroxide based combination acne products	Minimum Age= 12
Bepreve (bepotastine besilate) 1.5% eye drops	Minimum age = 2
Beqvez (fidanacogene elaparvovec-DZKT) vial kit	Minimum age = 18
Beriner kit/vial	Minimum age = 12; Maximum of 16 vials every 28 days
Besponsa (inotuzumab ozogamicin) vial	Minimum age = 1
Besremi (ropeginterferon alfa-2b-njft) syringe	Minimum age = 18
Betamethasone/clotrimazole Lotion	Maximum of 60ml every 30 days
Betaseron (interferon beta-1B) 0.3mg vial/ kit	Minimum age= 18 Maximum 14 vials/syringes(1kit) every 28 days
Bethkis (tobramycin) 300mg/4ml ampule	Maximum of 224 mLs every 56 days
Bevespi (glycopyrrolate/formoterol) Aerosphere Inhaler	Minimum age = 18
Biktarvy (bictegravir/emtricitabine/tenofovir alafenamide) tablets	Minimum age = 3; Maximum of 1 tablet per day
Bimzelx (bimekizumab-BKZX) autoinjector, syringe	Minimum age = 18
Blenrep (belantamab mafodotin-blmf) vial	Minimum age = 18
Blephamide (sulfacetamide/prednisolone) drops	Maximum of 10ml every 30 days
Blephamide (sulfacetamide/prednisolone) S.O.P. ointment	Maximum of 3.5g every 30 days
Bonjesta (doxylamine succinate/vit b6) tablets	Minimum age = 18
Boniva (ibandronate) 3mg injection	Maximum of 1 injection every 84 days
Boruzu (bortezomib) vial	Minimum age = 18



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Bosulif (bosutinib) tablets	Minimum age = 1; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Braftovi (encorafenib) capsules	Minimum age = 18 <b>For 50mg capsules:</b> Maximum of 9 capsules per day; Maximum of 270 capsules every 30 days <b>For 75 mg capsules:</b> Maximum of 6 capsules per day; Maximum of 180 capsules every 30 days
Brenzavvy (bexagliflozin) tablet	Minimum age = 18
Breo Ellipta (fluticasone/vilanterol)	Minimum age = 5
Brexafemme (ibrexafungerp citrate) tablet	Minimum age = 12
Breyanzi (lisocabtagene maraleucel) vial	Minimum age = 18
Breyna (budesonide/formoterol fumarate) inhaler	Minimum age = 6
Breztri (budesonide/glycopyrrolate/formoterol fumarate) Aerosphere Inhaler	Minimum age = 18
Brisdelle (paroxetine) capsules	Minimum age = 18
Briumvi (ublituximab-XIIV) vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Brixadi (buprenorphine) syringe	Minimum age = 18; Maximum of 1 fill every 28 days <b>For 8mg/0.16mL syringe:</b> Maximum of 0.64mL (4 syringes) every 28 days <b>For 16mg/0.32mL syringe:</b> Maximum of 1.28mL (4 syringes) every 28 days <b>For 24mg/0.48mL syringe:</b> Maximum of 1.92mL (4 syringes) every 28 days <b>For 32mg/0.64mL syringe:</b> Maximum of 2.56mL (4 syringes) every 28 days <b>For 64mg/0.18mL syringe:</b> Maximum of 0.18mL (1 syringe) every 28 days <b>For 96mg/0.27mL syringe:</b> Maximum of 0.27mL (1 syringe) every 28 days <b>For 128mg/0.36mL syringe:</b> Maximum of 0.36mL (1 syringe) every 28 days
Bronchitol (mannitol) inhale capsules	Minimum age = 18
Brovana (arformoterol) Nebulizer Solution	Minimum age =18; Maximum of 1 fill every 30 days; Maximum of 120ml per fill
Brukinsa (zanubrutinib) 80 mg capsule	Minimum age = 18
Budesonide nasal spray 32mcg	Maximum of 8.4g every 30 days
Buprenex (buprenorphine) ampule	Minimum age = 16
Buprenorphine sublingual tablets	Minimum age = 16; Maximum of 3 sublingual tablets per day
Bupropion IR tablets	Minimum age = 6 Maximum of 450 mg per day <b>For 75 mg tablets:</b> Maximum of 6 tablets per day <b>For 100mg tablets:</b> Maximum of 4 tablets per day
Butalbital compounds	Maximum of 120 every 365 days
Butorphanol Tartrate Nasal Spray	Maximum of 2.5ml (1 canister) every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Butrans (buprenorphine) Transdermal Patch	Minimum age = 18; Maximum of 1 fill every 28 days; Maximum of 4 patches every 28 days Maximum quantity per fill = 1 box
Bydureon (exenatide microspheres) vial, Bcise autoinjector, pen injector	Minimum age = 10; Maximum of 4 vials/pen injectors/auto injectors every 28 days
Byetta (exenatide) dose pen injector	Minimum age = 18 <b>For 5mcg dose pen:</b> Maximum of 1.2mL every 28 days <b>For 10mcg dose pen:</b> Maximum of 2.4mL every 28 days
Cabenuva (cabotegravir/rilpivirine) ER suspension	Minimum age = 12; Maximum of 6 mL every 30 days
Cabergoline Tablet	Maximum of 16 tablets every 30 days
Cablivi (caplacizumab-yhdp) kit/vial	Minimum age = 18
Cabometyx (cabozantinib) 20mg, 40mg, and 60mg tablets	Minimum Age= 12 Maximum of 1 tablet per day Maximum of 30 tablets every 30 days
Cafcit (caffeine citrate)	Maximum of 90ml every 30 days; Maximum age = 11 months
Calcipotriene 0.005% cream/ointment/solution	Minimum age = 18; <b>For cream/ointment:</b> Maximum of 120 grams every 30 days; Maximum of 2 fills every 90 days <b>For solution:</b> Maximum of 60mls every 30 days
Calcipotriene-betamethasone dipropionate ointment	Minimum age = 12
Calquence (acalabrutinib) capsule, tablets	Minimum age = 18; <b>For Capsules:</b> Maximum of 2 capsules per day; Maximum of 60 capsules every 30 days





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Camcevi (leuprolide mesylate) syringes	Minimum age = 18; Maximum of 1 syringe every 180 days
Camzyos (mavacamten) capsules	Minimum age = 18
Candidas (caspofungin) 50mg	Maximum of 13 vials every 28 days
Candidas (caspofungin) 70mg	Maximum of 1 vial every 28 days
Caplyta (lumateperone tosylate) capsule	Minimum age = 18; Maximum of 1 tablet per day
Caprelsa (vandetanib) 100mg tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Caprelsa (vandetanib) 300mg tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Capvaxive (pneumoc 21-val conj-dip crm/pf) syringe	Minimum age = 18 Maximum of 0.5mL per fill <b>LTC residents:</b> Maximum of 1 vaccine per lifetime
Carbidopa/Levodopa	Minimum age = 18
Carvykti (ciltacabtagene autoleucel) infusion bag-cassette	Minimum age = 18
Casgevy (exagamglogene autotemcel) vial	Minimum age = 12
Casodex (bicalutamide) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Catapres-TTS (clonidine) patches	Maximum of 8 patches every 30 days
Cathflo Activase (alteplase) Injection	Maximum of 2 vials every 28 days
Cayston (aztreonam) Powder for neb solution	Minimum age = 7; Maximum of 84 ml every 56 days
Cefepime 1g/50ml Piggy Back	Maximum of 1500 ml every 30 days
Cefepime 2 gm Piggy Back	Maximum of 3000 ml every 30 days
Cefprozil tablets	Maximum of 4 tablets per day
Cefprozil suspension 250mg/5ml	Maximum of 20ml per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Ceftriaxone vials	Maximum of 2 vials per day
Celebrex (celecoxib) 50mg, 100mg, 200mg capsules	Maximum of 2 capsules per day
Celebrex (celecoxib) 400mg capsules	Maximum of 1 capsule per day
Celexa (citalopram) solution, tablets	Minimum age = 6; Maximum of 40 mg per day; <b>For 10mg, 40mg tablets:</b> Maximum of 1 tablet per day <b>For 20mg tablets:</b> Maximum of 1.5 tablets per day <b>For 10mg/5mL Solution:</b> Maximum age = 11; Maximum of 30ml per day
Cellcept (mycophenolate mofetil) Suspension	Maximum age = 11
Cephalexin suspension 250mg/5ml	Maximum of 80ml per day
Cerdelga (eliglustat) Capsules	Minimum age = 18; Maximum of 2 capsules per day
Cerezyme (imiglucerase) vials	Minimum age = 2 Maximum age = 17
Cetirizine Syrup	Maximum age = 11; Maximum of 10mLs per day
Cetirizine chewable tablets, tablets	Maximum of 30 tablets every 30 days
Chantix (varenicline) tablets	Minimum age = 17; Maximum of 2 tablets per day; *Maximum of 90 days of therapy every 730 days without prior authorization *A second 90 days of therapy may be approved immediately following the first 90 days of therapy if criteria is met via a negative nicotine/cotinine lab test (blood or urine only)
Chlordiazepoxide 5mg, 10mg, 25mg tablets	Minimum age = 6; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Chloroquine phosphate tablets	Maximum of 1,000mg per day <b>For 250mg tablets:</b> Maximum of 1 tablet per day <b>For 500mg tablets:</b> Maximum of 2 tablets per day
Chlorpromazine 25/ml ampule	Minimum age = 18; Maximum of 40ml per day for ages ≥ 18
Chlorpromazine 10mg, 25mg, 50mg, 100mg tablets	Minimum age = 18; Maximum of 4 tablets per day for ages ≥ 18
Chlorpromazine 200mg tablets	Minimum age = 18; Maximum of 5 tablets per day for ages ≥ 18
Cibinco (abrocitinib) tablets	Minimum age = 12
Cilgavimab 150 mg/1.5 ml vial (EUA)	Minimum age = 12
Ciloxan eye ointment (ciprofloxacin)	Maximum quantity per fill = 3.5g
Cimduo (lamivudine / tenofovir disoproxil fumarate) tablets	Minimum age = 12; Maximum of 1 tablet per day
Cimerli (ranibizumab-EQRN) vial	Minimum age = 18
Cimzia (certolizumab) 400mg powder for injection kit, 200mg/mL prefilled syringe	Minimum age= 2; Maximum of 1 injection/kit every 28 days
Cimzia (certolizumab) 200mg/mL starter kit	Minimum age= 2; Maximum of 1 fill every 365 days
Cinqair (reslizumab) vial	Minimum age = 18
Cinryze (c1 esterase inhibitor) Powder for solution for injection	Minimum age = 6; Maximum of 20 vials every 28 days
Cipro (ciprofloxacin) suspension	Maximum age = 11
Cipro/XR (ciprofloxacin) tablets	Minimum age = 12
Citalopram capsules	Minimum age = 18
Claravis (isotretinoin) 10mg, 20mg, 30mg, 40mg capsules	Minimum age = 12
Claritin syrup (loratadine)	Maximum age = 11
Clenpiq (sod picosulf/mag ox/citric ac) solution	Minimum age = 9



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Cleocin granules (clindamycin)	Maximum age = 11
Climara / Climara Pro (estradiol) patches	Maximum of 4 patches every 30 days
Clindacin (clindamycin) Pac Kit/ ETZ Kit	Minimum Age= 12
Clindagel (clindamycin)	Minimum Age= 12
Clindamycin Phosphate 1% solution, medicated swab, lotion, and gel	Minimum Age= 12; <b>For Solution:</b> Maximum of 120mls every 30 days
Clindavix (clindamycin/dimethicone/zinc oxide) kit	Minimum age = 12
Clorazepate 3.75mg, 7.5mg, 15mg tablets	Minimum age = 9; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days
Clotrimazole 1% solution	Maximum of 90mls every 30 days
Clozaril (clozapine) 12.5mg tablets	Minimum age = 6; Maximum of 12 tablets per day for ages = 6 - 17; Maximum of 2 tablets per day for ages ≥ 18
Clozaril (clozapine) 25mg tablets	Minimum age = 6; Maximum of 8 tablets per day for ages = 6 - 17; Maximum of 2 tablets per day for ages ≥ 18
Clozaril (clozapine) 50mg tablets	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 2 tablets per day for ages ≥ 18
Clozaril (clozapine) 100mg tablets	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 9 tablets per day for ages ≥ 18
Clozaril (clozapine) 200mg tablets	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Codeine containing products (excluding cough and cold preparations)	Minimum age = 12
Codeine containing cough and cold preparations	Minimum age = 18 Maximum age = 20
Cogentin (benztropine)	Minimum age = 3
Colazal (balsalazide disodium) capsule	Minimum age = 5
Colcrys (colchicine) tablets	Minimum age = 4 ; Maximum of 6 tablets every 30 days
Columvi (glofitamab-GXBM) vial	Minimum age = 18
Combivent (ipratropium/albuterol sulfate) Respimat 20-100 mcg	Maximum of 8gm (2 inhalers) every 25 days
Cometriq (cabozantinib) 60mg/day blister card	Minimum age = 18; Maximum of 84 capsules every 28 days
Cometriq (cabozantinib) 100mg/day blister card	Minimum age = 18; Maximum of 56 capsules every 28 days
Cometriq (cabozantinib) 140mg/day blister card	Minimum age = 18; Maximum of 112 capsules every 28 days
Complera (emtricitabine/rilpivirine/ tenofovir)	Minimum age = 12; Maximum of 1 tablet per day
Compound Claims	Maximum of \$300.00 Topical products only (dosage forms = creams, lotions, ointments, powder, emulsion, or shampoo)
Comtan (entacapone) tablets	Maximum of 8 tablets per day; Minimum age = 18
Concerta (methylphenidate) 18mg tablets	Minimum age = 6; Maximum of 1 tablet per day for ages = 0-5 Maximum of 1 tablet per day for ages ≥ 18
Concerta (methylphenidate) 27mg tablets	Minimum age = 6; Maximum of 0.925 tablets per day for ages = 0-5 Maximum of 1 tablet per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Concerta (methylphenidate) 36mg tablets	Minimum age = 6; Maximum of 0.694 tablets per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Concerta (methylphenidate) 54mg tablets	Minimum age = 6; Maximum of 0.462 tablets per day for ages = 0-5 Maximum of 1 tablet per day for ages ≥ 18
Condylox (podofilox) gel	Maximum quantity per fill = 3.5g
Conex pediatric suspension	Maximum age = 20
Contraceptives (unless otherwise listed)	Minimum age = 12; Maximum of 1 tablet per day
Conzip (tramadol extended release) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days
Copaxone (glatiramer acetate)	Maximum of 1 kit every 28 days; Minimum age= 18; Maximum 12mL every 28 days for 40mg/mL syringe
Copiktra (duvelisib) capsules	Minimum age = 18; Maximum of 2 capsules per day; Maximum of 60 capsules every 30 days
Cosela (trilaciclib dihydrochloride) vial	Minimum age = 18
Cosentyx (secukinumab) pen, syringe	Minimum age = 2; Maximum of 2ml every 28 days <b>For 75mg/0.5mL syringe:</b> Maximum of 0.5mL every 28 days
Cosopt (dorzolamide/timolol) drops	Maximum of 10ml every 30 days
Cotellic (cobimetinib) tablets	Minimum age = 18; Maximum of 3 tablets per day; Maximum of 63 tablets every 28 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Cotempla (methylphenidate) XR-ODT tablets	Minimum age = 6; <b>For 8.6 mg &amp; 17.3 mg tablets:</b> Maximum of 1 tablet per day <b>For 25.9 mg tablets:</b> Maximum of 2 tablet per day Maximum of 51.8 mg per day
Coumadin (warfarin) tablets	Maximum of 4 tablets per day
COVID-19 home test Kits	Maximum of 4 units (test kits) per month
COVID-19 Vaccines	Maximum of 3 vaccines per year FDA minimum/maximum ages apply
<b>Crenessity (crinicerfont) capsule, solution</b>	<b>Minimum age = 4</b>
Crexont (carbidopa/levodopa) ER capsules	Minimum age = 18
Cubicin (daptomycin) vials	Maximum of 2 vials per day
Cuvposa (glycopyrrolate) solution	Minimum age = 3 Maximum age = 16
Cuvrior (trientine tetrahydrochloride) tablet	Minimum age = 18
Cyanocobalamin (Vitamin B-12) injections	Maximum quantity 2ml every 28 days
Cyltezo (adalimumab-ADB) (CF) pen, syringe	Minimum age = 2
Cymbalta (duloxetine) capsules	Minimum age = 6; Maximum of 2 capsules per day <b>For ≤ 6 years:</b> Maximum of 60 mg per day <b>For ≥ 7 years:</b> Maximum of 120 mg per day
Cystadrops (cysteamine hcl) eye drops	Maximum of 20mL's every 28 days
Cystaran (cysteamine) 0.44% ophthalmic drops	Maximum of 60 mL every 28 days
Daklinza (daclatasvir) tablets	Minimum age = 18
Daliresp (roflumilast) tablets	Minimum age = 18; Maximum of 1 tablet per day
Danyelza (naxitamab-gqgk) vials	Minimum age = 1



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Danziten (nilotinib tartrate) tablets	Minimum age = 18
Dartisla (glycopyrrolate) ODT tablet	Minimum age = 18
Darzalex (daratumumab-hyaluronidase-fihj) Faspro, vials	Minimum age = 18
<b>Datroway (datopotamab deruxtecan-DLNK) vial</b>	<b>Minimum age = 18</b>
Daurismo (glasdegib maleate) tablets	Minimum age = 18 <b>For 25mg tablets:</b> Maximum of 2 tablets per day; Maximum of 60 tablets every 28 days <b>For 100mg tablets:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 28 days
Daybue (trofinetide) solution	Minimum age = 2
Daytrana (methylphenidate) 10mg/9hr, 15mg/9hr, 20mg/9hr patches	Minimum age = 6; Maximum of 30 patches every 30 days for ages = 0-5 Maximum of 30 patches every 30 days for ages ≥ 18
Daytrana (methylphenidate) 30mg/9hr patches	Minimum age = 6; Maximum of 0.833 patches per day for ages = 0-5 Maximum of 30 patches every 30 days for ages ≥ 18
Dayvigo (lemborexant) tablets	Minimum age = 18
Delstrigo (doravirine/lamivudine/tenofovir disoproxil fumarate) tablets	Minimum age = 12; Maximum of 1 tablet per day
Delzicol (mesalamine) DR capsule	Minimum age = 5
Demerol (meperidine)	Maximum of 12 tablets per day (100mg) Maximum of 24 tablets per day (50mg)
Denavir (penciclovir) 1% cream	Maximum of 5 grams every 30 days
Depo-Estradiol (estradiol)	Maximum days supply = 90
Depo-Provera (medroxyprogesterone)	Maximum of 1 unit every 84 days
Depo-SubQ Provera (medroxyprogesterone) 104mg	Maximum of 0.65ml every 84 days
Descovy (emtricitabine/tenofovir) tablets	Maximum of 1 tablet per day





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Desoxyn (methamphetamine) 5mg tablets	Minimum age = 6; Maximum of 3 tablets per day for ages = 0-5 Maximum of 5 tablets per day for ages ≥ 18
Desvenlafaxine fumarate ER 50mg, 100mg tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 100 mg per day
Detrol/Detrol LA (tolterodine)	Minimum age = 5 Maximum age = 18
Dexedrine (dextroamphetamine) 5mg tablets	Maximum of 2 tablets per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Dexedrine (dextroamphetamine) 10mg tablets	Maximum of 1 tablet per day for ages = 0-5 Maximum of 2 tablets per day for age ≥ 18
Dexedrine ER (dextroamphetamine) 5mg capsules	Minimum age = 6; Maximum of 2 capsules per day for ages = 0-5 Maximum of 2 capsules per day for ages ≥ 18
Dexedrine ER (dextroamphetamine) 10mg capsules	Minimum age = 6; Maximum of 1 capsule per day for ages = 0-5 Maximum of 2 capsules per day for ages ≥ 18
Dexedrine ER (dextroamphetamine) 15mg capsules	Minimum age = 6; Maximum of 1 capsule per day for ages = 0-5 Maximum of 4 capsules per day for ages ≥ 18
Dexilant (dexlansoprazole) 30mg, 60mg capsules	Minimum age = 12: Maximum of 1 capsule per day
D.H.E (dihydroergotamine mesylate) ampule	Minimum age = 18
Dhivy (carbidopa/levodopa) tablet	Minimum age = 18
Diastat (diazepam)	Maximum of 2 kits every 30 days; Maximum age = 18
Diazepam 2mg, 5mg, 10mg tablets	Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days
Diazepam solution 5mg/5ml	Maximum of 40ml per day
Diazepam Intensol solution 5mg/ml	Maximum of 8ml per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Differin (adapalene) 0.1% cream, gel, gel pump, lotion, pledgets, solution, swab	Minimum Age= 12
Differin (adapalene) 0.3% gel	Minimum age = 12
Difucid (fidaxomicin) tablets	Maximum 2 tablets per day; Maximum day supply = 10
Diclegis (doxylamine/pyridoxine) tablets	Minimum age = 18; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days; Maximum of 2 fills every rolling 90 days
Diovan (valsartan) tablets	Minimum age = 1
Ditropan XL (oxybutynin chloride ER) Tablet	Minimum age = 6
Diuril (chlorothiazide) solution 250mg/5ml	Maximum age = 11
Docefrez (docetaxel) vials	Minimum age = 18
Doptelet (avatrombopag maleate) tablets	Minimum age = 18
Dovato (dolutegravir sodium/lamivudine) tablets	Minimum age = 12; Maximum of 1 tablet per day
Doxepin capsules, solution	Minimum age = 12; Maximum of 300mg per day; <b>For 10mg capsules:</b> Maximum of 8 tablets per day <b>For 25mg, 50mg, 75mg, and 100mg capsules:</b> Maximum of 3 tablets per day <b>For 150mg capsules:</b> Maximum of 2 tablets per day <b>For 10mg/mL solution:</b> Maximum of 30mLs per day
Doxepin 5% cream	Minimum age = 18; Maximum of 90 grams every 30 days
Doxil (doxorubicin hcl peg-liposomal) vials	Minimum age = 18; Maximum of 60mLs every 28 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Drizalma (duloxetine) Sprinkle DR capsules	Minimum age = 6; Maximum of 2 capsules per day
Droperidol Solution for Injection	Minimum age = 18
Duac (benzoyl peroxide/clindamycin) gel, CS Convenience Kit	Minimum Age= 12
Duaklir (aclidinium/formoterol) Pressair inhaler	Minimum age = 18
Dulera (mometasone/formoterol)	Minimum age = 5; Maximum of 1 inhaler every 30 days; Maximum of 13 grams per fill
Duloxicaine 30mg-4% kit	Minimum age= 6
Duobrii (halobetasol/tazarotene) 0.01%-0.045% lotion	Minimum age = 18
Dupixent (dupilumab) 100mg/0.67ml, 200mg/1.14ml, 300mg/2ml syringe, pen	<b>For 200mg/1.14mL syringe:</b> Maximum of 2.28mLs every 28 days <b>For 300mg/2mL syringe/pen:</b> Maximum of 8mLs every 28 days
Duragesic (fentanyl) patches	Minimum age = 18 Maximum of 10 patches every 30 days
Duvzat (givinostat hydrochloride) oral suspension	Minimum age = 6
Dyanavel (dextroamphetamine/amphetamine) XR suspension, tablets	Minimum age = 6
Ebglyss (lebrikizumab-LBKZ) pen, syringe	Minimum age = 12
Econazole nitrate 1% cream	Maximum of 90gm every 30 days
Edurant (rilpivirine) tablet	Minimum age = 2; Maximum of 1 tablet per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Effexor (venlafaxine) IR capsules/tablets	Minimum age = 6; <b>For ≤ 12 years:</b> Maximum of 112.5 mg per day <b>For 13 – 17 years:</b> Maximum of 225mg per day <b>For ≥ 18 years:</b> Maximum of 375 mg per day <b>For 25mg, 37.5mg, &amp; 50mg:</b> Maximum of 4 tablet per day <b>For 75mg:</b> Maximum of 5 tablet per day; <b>For 100mg:</b> Maximum of 3 tablet per day;
Effexor (venlafaxine) ER/XR capsules/tablets	Minimum age = 6; Maximum of 225 mg per day <b>For 37.5mg &amp; 150mg:</b> Maximum of 1 tablet per day <b>For 75mg:</b> Maximum of 3 tablet per day
Effient (prasugrel) tablet	Maximum of 1 unit per day
Egaten (triclabendazole) tablet	Minimum age = 6
Elahere (mirvetuximab soravtansine-GYNX) vials	Minimum age = 18
Eldepryl (selegiline)	Minimum age = 18
Ellelyso (taliglucerase alfa) Vials	Minimum age = 4; Maximum of 82 vials every 28 days
Elepsia XR (levetiracetam) tablet	Minimum age = 12
Elestrin (estradiol) 0.06% gel	Minimum age = 18
Elevidys (delandistrogene moxeparvc-ROKL) vial	Minimum age = 4 Maximum age = 5
Elfabrio (pegunigalsidase ALFA-IWXJ) vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Elidel (pimecrolimus ) 1% cream	Maximum of 1 fill every 30 days; <b>For 15gm, 30gm, 60gm, &amp; 100gm pkg size:</b> 1 tube every 30 days
Eligard (leuprolide) Suspension for injection 45mg	Minimum age = 18; Maximum days supply =180 days; Maximum of 1 kit every 175 days
Eligard (leuprolide) Suspension for injection 30mg	Minimum age = 18; Maximum days supply = 120; Maximum of 1 kit every 118 days
Eligard (leuprolide) Suspension for injection 22.5mg	Minimum age = 18; Maximum days supply = 90; Maximum of 1 kit every 84 days
Eligard (leuprolide) Suspension for injection 7.5mg	Minimum age = 18; Maximum of 1 kit every 27 days
Eliquis (apixaban) 2.5mg, 5mg tablets, 5mg Starter Pack	Minimum age = 18; <b>For 2.5mg tablets:</b> Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days <b>For 5mg tablets:</b> Maximum of 4 tablets per day; Maximum of 74 tablets every 30 days
Ella (ulipristal) tablets	Minimum age = 12; Maximum of 2 tablets every 30 days
Ellence (epirubicin hcl) vials	Minimum age = 18; Maximum of 1125mLs per lifetime
Elrexio (elranatamab-BCMM) vial	Minimum age = 18
Elyxyb (celecoxib) solution	Minimum age = 18
Elzonris (tagraxofusp-erzs) 1,000 mcg/ml vial	Minimum age = 2
Embeda (morphine sulfate/naltrexone) ER capsules	Minimum age = 18; Maximum of 2 capsules per day (Excluding recipients with a diagnosis of cancer or sickle cell)



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Emcyt (estramustine) capsules	Minimum age = 18; Maximum of 30 capsules every 30 days
Emend (aprepitant) 40mg	Maximum of 4 capsules every 28 days
Emend (aprepitant) 80mg	Maximum of 4 capsules every 28 days
Emend (aprepitant) 125mg	Maximum of 2 capsules every 28 days
Emend (aprepitant) Trifold	Maximum of 6 capsules every 28 days
Enemeez (docusate sodium) / Enemeez Plus (docusate sodium/benzocaine) enema	Minimum age =12
Engality (galcanezumab-gnlm) pen/syringe	Minimum age = 18
Empaveli (pegcetacoplan) vial	Minimum age = 18
Emrosi ER (minocycline hcl) capsules	Minimum age = 18
Emsam (selegiline) patches	Minimum age = 12; Maximum of 1 patch per day; Maximum of 30 patches every 30 days; Maximum of 12 mg per day
Enbrel (etanercept) 25mg/ kit	Minimum age= 2; Maximum of 2 kits every 28 days
Enbrel (etanercept) 25mg/0.5 ml prefilled syringe	Minimum age= 2; Maximum of 4ml every 28 days
Enbrel (etanercept) 50mg/ml cartridge, sureclick, & syringe	Minimum age= 2; Maximum of 8ml every 28 days
Endari (glutamine) powder packets	Minimum age = 5; Maximum of 180 packets every 30 days
Enhertu (fam-trastuzumab deruxtecan-nxki) vial	Minimum age = 18
Enjaymo (sutimlimab-JOME) vials	Minimum age = 18
Enspryng (satralizumab-mwge) 120 mg/ml syringe	Minimum age = 18
Enstilar (calcipotriene/betamethasone) foam	Minimum age = 12; Maximum of 420 grams every 28 days
Entadfi (finasteride/tadalafil) capsules	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Entresto (sacubitril/valsartan) sprinkle pellet, tablet	Minimum age = 1; Maximum of 2 tablets/sprinkle pellets per day
Entyvio (vedolizumab) 300mg vial	Minimum age = 18; <b>For 300mg vial:</b> Maximum of 1 vial every 56 days; Maximum days supply = 56 <b>For 108mg/0.68mL pen:</b> Maximum of 1.36mLs every 28 days
Eohilia (budesonide) 2mg/10mL stick pack	Minimum age = 11
Epaned (enalapril) powder for oral solution	Maximum age = 12
Epclusa (sofosbuvir/velpatasvir) pellet pack, tablets	Minimum age = 3; Maximum of 1 pellet pack/tablet per day; Maximum of 84 tablets per lifetime
Epidiolex (cannabidiol (cbd)) 100 mg/ml solution	Minimum age = 1
EpiDuo (adapalene/benzoyl peroxide) gel, gel w/pump	Minimum Age= 9
EpiDuo (adapalene/benzoyl peroxide) Forte gel w/ pump	Minimum Age= 12
Epipen / Epipen Jr/ Auvi Q / Twinject (epinephrine) pen	Maximum of 2 pens every 30 days
Epkinly (epcoritamab-BYSP) vial	Minimum age = 18
Epsolay (benzoyl peroxide) cream pump	Minimum age = 18
Equetro (carbamazepine ER)	Minimum age = 6
Erivedge (vismodegib) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days
Erleada (apalutamide) tablets	Minimum age = 18 <b>For 60mg tablet:</b> Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days <b>For 240mg tablet:</b> Maximum of 1 tablet per day
Erythromycin 2% gel, pads, pledgets, solution	Minimum Age= 12
Erythromycin Ethylsuccinate Sulfisoxazole suspension	Maximum age = 11



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Erzofri (paliperidone palmitate) syringe	Minimum age = 18
Esbriet (pirfenidone) capsules/tablets	Minimum age = 18
Estradiol valerate vial	Maximum days supply = 50
Estring (estradiol)	Maximum of 1 unit every 84 days; Maximum day supply = 91
Ethanol (ethyl alcohol) 98% Solution for Injections	Maximum of 1ml per day; Maximum of 30ml every 30 days
Etoposide Capsules	Maximum of 8 capsules per day; Maximum of 40 capsules every 21 days
Eucrisa (crisaborole) 2% ointment	Maximum of 60 grams every 30 days; Maximum of 300 grams every 365 days
Evekeo (amphetamine sulfate) ODT tablets, tablets	<b>For ODT tablets:</b> Minimum age = 6 Maximum age = 17 <b>For tablets:</b> Minimum age = 3
Evista (raloxifene) Tablets	Minimum age = 18
Evkeeza (evinacumab-DGNB) vial	Minimum age = 5
Evoclin (clindamycin phosphate) foam	Minimum age = 12
Evusheld (tixagevimab/cilgavimab) dose pack vial (EUA)	Minimum age = 12
Evotaz (atazanavir/cobicistat) Tablets	Minimum age = 12; Maximum of 1 tablet per day
Exalgo (hydromorphone ) ER Tablets	Minimum age = 18; Maximum of 1 tablet per day (Excluding recipients with a diagnosis of cancer or sickle cell)
Exelon (rivastigmine)	Minimum age = 18
Exjade (deferasirox) Tablets	Minimum age = 2
Exkivity (mobocertinib succinate) capsules	Minimum age = 18





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Extavia (interferon beta-1B) 0.3mg vial/ kit	Minimum age= 18; Maximum 14 vials/syringes(1kit) every 28 days
Ezallor (rosuvastatin) sprinkle capsule	Minimum age = 7; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Fabhalta (iptacopan) capsules	Minimum age = 18
Fabior (tazarotene) foam	Minimum Age= 12
Fabrazyme (agalsidase beta) vials	Minimum age = 2
Famotidine 40mg/5mL suspension	Maximum age = 11
Fanapt (iloperidone) 1mg, 2mg, 4mg, 6mg, titration pack/ tablets	Minimum age = 18; Maximum of 2 tablets per day for ages = 6 - 17; Maximum of 2 tablets per day for ages ≥ 18
Fanapt (iloperidone) 8mg, 10mg, 12mg tablets	Minimum age = 18; Maximum of 1 tablet per day for ages = 6 - 11; Maximum of 2 tablets per day for ages = 12 - 17; Maximum of 2 tablets per day for ages ≥ 18
Farydak (panobinostat) capsules	Minimum age = 18; Maximum of 6 capsules every 21 days
Fareston (toremifene) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Farxiga (dapagliflozin propanediol) tablet	Minimum age = 10; Maximum of 1 tablet per day
Fasenra (benralizumab) pen/syringe	Minimum age = 6
Fazaclo (clozapine)12.5mg ODT tablets	Minimum age = 6; Maximum of 12 tablets per day for ages = 6 - 17; Maximum of 2 tablets per day for ages ≥ 18
Fazaclo (clozapine) 25mg ODT tablets	Minimum age = 6; Maximum of 8 tablets per day for ages = 6 - 17; Maximum of 4 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Fazaclo (clozapine) 100mg ODT tablets	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 2 tablets per day for ages ≥ 18
Fazaclo (clozapine) 150mg ODT tablets	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 6 tablets per day for ages ≥ 18
Fazaclo (clozapine) 200mg ODT tablets	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Femara (letrozole) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Fensolvi (leuprolide acetate) syringe kit	Minimum age = 2; Maximum of 1 syringe every 180 days
Fentora (fentanyl citrate) buccal tablets	Minimum age = 18; Maximum of 4 tablets per day
Ferriprox (deferiprone) solution, tablets	<b>For solution:</b> Minimum age = 3 <b>For tablets:</b> Minimum age = 8
Ferrlecit (sod ferric gluc complex/suc)	Minimum age = 6
Fetroja (cefiderocol sulfate tosylate) vial	Minimum age = 18
Fetzima (levomilnacipran) 20mg, 40mg, 80mg, 120mg capsules	Maximum of 120mg per day Maximum of 1 capsule per day
Fetzima (levomilnacipran) 20-40mg dose pack	Maximum of 1 capsule per day
Filspari (sparsentan) tablet	Minimum age = 18
Fintepla (fenfluramine) solution	Minimum age = 2



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Fioricet (butalbital, acetaminophen, caffeine) Fioricet (butalbital, acetaminophen, caffeine) with codeine Fiorinal (butalbital, aspirin, caffeine) Fiorinal (butalbital, aspirin, caffeine) with codeine	Maximum of 120 capsule/tablets every 365 days
Firazyr (icatibant) Solution for Injection	Minimum age = 18; Maximum of 9mls every 28 days
Firdapse (amifampridine) tablet	Minimum age = 6
Flector (diclofenac) patches	Maximum of 2 patches per day; Maximum of 60 patches every 30 days
Fleqsuvy (baclofen) suspension	Minimum age = 12; Maximum of 16mLs per day
Flomax (tamsulosin) capsules	Maximum of 2 capsules per day
Flonase (fluticasone) nasal spray	Maximum of 16g every 30 days
Flovent (fluticasone) HFA inhalers	Maximum age = 12 Maximum of 2 inhalers every 30 days
Flovent (fluticasone) Diskus	Minimum age = 4; Maximum of 2 inhalers every 30 days
Flu vaccines	Maximum of 1 vaccine per season of prefilled syringe or single dose vial; FDA minimum/maximum age limitations apply; LTC residents
Flunisolide nasal spray	Maximum of 25ml every 30 days
Fluoxetine 20mg/5ml solution	Minimum age = 6; Maximum age = 11; Maximum of 20mLs per day <b>For ages ≤ 5 years:</b> Maximum of 10 mg per day <b>For ages 6 – 17:</b> Maximum of 60 mg per day <b>For ages ≥ 18 years:</b> Maximum of 80 mg per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Fluphenazine 2.5mg/ml vials	Minimum age = 18; Maximum of 8ml per day for ages ≥ 18
Fluphenazine 25 mg/ml vials	Minimum age = 18
Fluphenazine 5mg/ml oral concentrate	Minimum age = 6; Maximum of 5mg per day for age = 6-11; Maximum of 10mg per day for ages = 12-17; Maximum of 4mls per day for ages ≥ 18
Fluphenazine 2.5mg/5ml oral elixir	Minimum age = 6; Maximum of 5mg per day for age = 6-11; Maximum of 10mg per day for ages = 12-17; Maximum of 40mls per day for ages ≥ 18
Fluphenazine 1mg, 2.5mg, 5mg tablets	Minimum age = 6; Maximum of 5mg per day for age = 6-11; Maximum of 10mg per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Fluphenazine 10mg tablets	Minimum age = 6; Maximum of 5mg per day for age = 6-11; Maximum of 10mg per day for ages = 12-17; Maximum of 20mg per day for ages ≥ 18
Flurazepam capsules	Minimum age = 15
Flutamide capsules	Minimum age = 18; Maximum of 6 capsules per day; Maximum of 180 capsules every 30 days
Fluvoxamine tablets	Minimum age = 6; <b>For ages ≤ 5 years:</b> Maximum of 75 mg per day <b>For ages 6 – 11:</b> Maximum of 200 mg per day <b>For ages ≥ 12 years:</b> Maximum of 300 mg per day
Fluvoxamine ER Capsules	Minimum age = 18; Maximum of 300mg per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Focalin (dexamethylphenidate) 2.5mg, 5mg tablets	Maximum of 2 tablets per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Focalin (dexamethylphenidate) 10mg tablets	Maximum of 1.5 tablets per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Focalin XR (dexamethylphenidate) 5mg, 10mg, 15mg capsules	Minimum age = 6; Maximum of 1 capsule per day
Focalin XR (dexamethylphenidate) 20mg capsules	Minimum age = 6; Maximum of 1 capsule per day
Focalin XR (dexamethylphenidate) 25mg capsules	Minimum age = 6; Maximum of 0.6 capsules per day for ages = 0-5; Maximum of 1 capsule per day for ages ≥ 18
Focalin XR (dexamethylphenidate) 30mg capsules	Minimum age = 6; Maximum of 0.5 capsules per day for ages = 0-5; Maximum of 1 capsule per day for ages ≥ 18
Focalin XR (dexamethylphenidate) 35mg capsules	Minimum age = 6; Maximum of 0.428 capsules per day for ages = 0-5; Maximum of 1 capsule per day for ages ≥18
Focalin XR (dexamethylphenidate) 40mg capsules	Minimum age = 6; Maximum of 0.375 capsules per day for ages = 0-5; Maximum of 1 capsule per day for ages ≥18
Forteo (teriparatide)	Minimum age = 18 Maximum of 1 kit every 30 days
Fortesta (testosterone) gel MD pump	Minimum age = 18
Forfivo (bupropion) XL tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 450 mg per day
Fotivda (tivozanib) capsules	Minimum age = 18
Frova (frovatriptan)	Minimum age = 18; Maximum of 9 tablets every 30 days
Fruzaqla (fruquintinib) capsules	Minimum age = 18
Fuzeon (enfuvirtide) vial	Minimum age = 6



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Fyarro (sirolimus protein-bound) vial	Minimum age = 18
Fycompa (perampanel) tablets	Minimum age = 4
Gattex (teduglutide) 5mg kit, powder for injection	Minimum age = 1
Gavreto (pralsetinib) capsules	Minimum age = 12
Gentamicin 0.1% cream, ointment	Maximum of 60gm every 30 days
Genvoya (elvitegravir/cobicistat/emtricitabine/tenofovir) tablets	Minimum age = 6; Maximum of 1 tablet per day
Geodon (ziprasidone) 20mg capsules	Minimum age = 6; Maximum of 4 capsules per day for ages = 6 - 17; Maximum of 2 capsules per day for ages ≥ 18
Geodon (ziprasidone) 40mg , 80mg capsules	Minimum age = 6; Maximum of 80mg per day for ages = 6 - 11; Maximum of 160mg per day for ages = 12-17; Maximum of 2 capsules per day for ages ≥ 18
Geodon (ziprasidone) 60mg capsules	Minimum age = 6; Maximum of 80mg per day for ages = 6 - 11; Maximum of 160mg per day for ages = 12-17; Maximum of 4 capsules per day for ages ≥ 18
Geodon (ziprasidone) vial	Minimum age = 18
Gilenya (fingolimod) 0.5mg capsules	Minimum age = 10; Maximum 1 capsule per day
Gilotrif (afatinib) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Gimoti (metoclopramide hcl) nasal spray	Minimum age = 18
Givlaari (givosiran) vial	Minimum age = 18
Glatopa (glatiramer)	Minimum age= 18; Maximum 1mL per day
Gleevec (imatinib) 100mg tablets	Minimum age = 1; Maximum of 3 tablets per day; Maximum of 90 tablets every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Gleevec (imatinib) 400mg tablets	Minimum age = 1; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Gloperba (colchicine) 0.6 mg/5 ml solution	Minimum age = 18
Glucagon Kit	Maximum quantity per fill = 1
Glyxambi (linagliptin/empagliflozin) tablets	Minimum age = 18; Maximum 1 tablet per day
Gocovri (amantadine) ER Capsules	Minimum age = 18
Golytely, Colyte, Nulytely (polyethylene glycol-electrolyte solution)	Maximum quantity per fill = 4000ml; Maximum of 4000ml per day
Golytely packets	Maximum of 1packet per day
Granisetron 1mg tablet and 1mg/ml vial	Maximum of 8 tablets/ml every 28 days
Gvoke (glucagon) hypopen/kit/syringe/vial	Minimum age = 2
H2RAs, Acid reducers	Maximum of 2 tablets/capsules per day
Hadlima (adalimumab-BWWD) (CF) pushtouch, syringe	Minimum age = 2 Maximum of 4 syringes every 28 days
Haegarda (C1 esterase inhibitor) vials	Minimum age = 6 <b>For 2000 unit vials:</b> Maximum of 33 vials every 30 days <b>For 3000 unit vials:</b> Maximum 22 vails every 30 days
Halcion (triazolam) Tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Haldol (haloperidol) decanoate 100mg/ml ampules, vials	Minimum age = 18; Maximum of 4.5ml every 28 days for ages ≥ 18
Haldol (haloperidol) decanoate 50mg/ml ampules, vials	Minimum age = 18; Maximum of 3ml every 28 days for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Haldol (haloperidol) 2mg/ml oral concentrate	Minimum age = 6; Maximum of 5mg per day for ages = 6-11; Maximum of 10 mg per day for ages = 12-17; Maximum of 50ml per day for ages ≥ 18
Haldol (haloperidol) 0.5mg, 1mg, 2mg, 5mg, 10mg tablets	Minimum age = 6; Maximum of 5mg per day for ages = 6-11; Maximum of 10 mg per day for ages = 12-17; Maximum of 3 tablets per day for ages ≥ 18
Haldol (haloperidol) 20mg tablets	Minimum age = 6; Maximum of 5mg per day for ages = 6-11; Maximum of 10 mg per day for ages = 12-17; Maximum of 5 tablets per day for age ≥ 18
Harvoni (ledipasvir/sofosbuvir) pellet packet, tablets	Minimum age = 3; Maximum of 1 tablet/pellet pack per day; Maximum of 84 tablets per lifetime
Hemgenix (etranacogene dezaparvovec-DRLB) vials	Minimum age = 18
Hemady (dexamethasone) tablets	Minimum age = 18
Hercessi (trastuzumab-STRF) vial	Minimum age = 18
Herzuma (trastuzumab-pkrb) vials	Minimum age = 18
Hetlioz (tasimelteon) capsules	Minimum age = 16; Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days
Hetlioz (tasimelteon) LQ suspension	Minimum age = 3 Maximum age = 15
Hexalen (altretamine) tablets	Minimum age = 18; Maximum of 126 tablets every 28 days
H.P. Acthar (corticotropin) vial	Maximum 1mL (80 units) per day ages ≤17 years; Maximum 1.5mL (120 units) per day ages ≥18 years
Hulio (adalimumab-FKJP) (CF) pen, syringe	Minimum age = 2
Humira 10mg/0.2ml, 20mg/0.4ml Syringe Kit	Minimum age = 2; Maximum of 1 kit (2 syringes) every 28 days





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Humira Ped Crohn 40mg/0.8ml Starter kit Humira Crohn-UC-HS 40mg/0.8ml Starter kit Humira Crohn-UC-HS 80mg/0.8ml Pen Starter kit Humira 40mg/0.8ml Psoriasis- Uveitis Starter Kit	Minimum age = 2; Maximum of 1 kit/pen every 365 days
Humira 40mg/0.8ml Syringe/Pen kit	Minimum age = 2; Maximum of 2 kits (4 syringes/pens) every 28 days
Humira (CF) Pedi Crohn 80-40 mg Humira (CF) Pedi Crohn 80mg/0.8 Humira (CF) Pen PS-UV-AHS 80-40 Humira (CF) Pen Pedi UC 80 mg	Maximum of 1 fill every 365 days
Humira (CF) 40 mg/0.4 ml syringe Humira (CF) Pen 40 mg/0.4 ml	Maximum of 4 syringes (2 kits) every 28 days
Humira (CF) 20 mg/0.2 mL syringe Humira (CF) 10 mg/0.1 mL syringe Humira (CF) Pen 80 mg/0.8 mL	Maximum of 2 syringes (1 kit) every 28 days
Hycamtin (topotecan) capsules, vials	Minimum age = 18; <b>For Capsules:</b> Maximum of 20 capsules every 28 days
Hydrea (hydroxyurea) capsules	Maximum of 90 capsules every 28 days
Hydrocodone containing cough and cold preparations	Minimum age = 18 Maximum age = 20
Hydroxychloroquine tablets	Maximum of 600mg per day <b>For 200mg tablets:</b> Maximum of 3 tablets per day <b>For 300mg tablets:</b> Maximum of 2 tablets per day <b>For 100mg and 400mg tablets:</b> Maximum of 1 tablet per day
Hyftor (sirolimus) gel	Minimum age = 6
Hypavzi (marstacimab-HNCQ) pen	Minimum age = 12
Hyperrho (Rho (D) immune globulin)	Maximum of 2 prescriptions every 365 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Hyrimoz (adalimumab-ADAZ) (CF) pen, syringe	Minimum age = 2
Hysingla (hydrocodone) ER tablets	Minimum age = 18; Maximum of 1 tablet per day (Excluding recipients with a diagnosis of cancer or sickle cell)
Ibrance (palbociclib) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 21 capsules every 28 days
Ibsrela (tenapanor hcl) tablets	Minimum age = 18
Iclusig (ponatinib) tablets	Minimum age = 18; <b>For 15mg tablets:</b> Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days <b>For 45mg tablets:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Idacio (adalimumab-AACF) (CF) pen, syringe	Minimum age = 2
IDHIFA (enasidenib mesylate) tablets	Minimum age = 18 <b>For 50mg tablets:</b> Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days <b>For 100mg tablets:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Idose TR (travoprost) 75 mcg implant	Minimum age = 18
Igalmi (dexmedetomidine) sublingual film	Minimum age = 18
Ilaris (canakinumab) 180mg vial	Minimum age= 2; Maximum of 2 vials every 28 days
Ilumya (tildrakizumab) 100mg Syringe	Minimum age = 18; Maximum of 1ml every 84 days; Maximum days supply = 84



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Imbruvica (ibrutinib)	<p><b>For 70mg/ml suspension, 70mg capsule, 140mg capsule/tablet, 280mg tablet, and 420mg tablet:</b> Minimum age = 1</p> <p><b>For 560mg tablet:</b> Minimum age = 18</p> <p><b>For 70mg capsules:</b> Maximum of 3 capsules per day; Maximum of 90 capsules every 30 days</p> <p><b>For 140mg capsules:</b> Maximum of 4 capsules per day; Maximum of 120 capsules every 30 days</p> <p><b>For 140mg, 280mg, 420mg, 560mg tablets:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days</p>
Imcivree (setmelanotide acetate) vial	Minimum age =6
Imdelltra (tarlatamab-DLLE) vial	Minimum age = 18
<b>Imkeldi (imatinib mesylate) solution</b>	<b>Minimum age = 1</b>
Imipramine pamoate capsules	<p>Minimum age = 18; Maximum of 300 mg per day</p> <p><b>For 75mg and 100mg tablets:</b> Maximum of 2 tablets per day</p> <p><b>For 125mg and 150mg tablets:</b> Maximum of 1 tablet per day</p>
Imitrex (sumatriptan) 25mg, 50mg and 100mg tablets	<p>Minimum age = 18; Maximum of 9 tablets every 30 days</p>
Imitrex (sumatriptan 4mg/0.5ml pen injection; 6mg/0.5ml kit/vial)	<p>Minimum age = 18; Maximum of 3ml every 30 days</p>
Imitrex (sumatriptan) nasal spray	<p>Maximum of 6 units every 30 days; Minimum age = 18</p>
Imjudo (tremelimumab-ACTL) vials	Minimum age = 18
Impavido (miltefosine) capsule	Minimum age = 12



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Inbrija (levodopa) inhalation capsules	Minimum age = 18
Increlex (mecasermin) Solution for Injection	Minimum age = 2
Incruse Ellipta (umeclidinium bromide) inhaler	Minimum age = 18 Maximum of 1 inhalation per day
Indocin (indomethacin) suspension	Maximum age = 11; Maximum of 300ml every 30 days
Inflectra (infliximab-DYYB) 100mg vial	Minimum age = 6; Maximum of 14 vials every 28 days; Maximum days supply = 56
Ingrezza (valbenazine) initiation pack, sprinkle capsules, tablets	Minimum age = 18; <b>For tablets:</b> Maximum of 1 capsule per day Maximum of 80 mg per day
Inlyta (axitinib) tablets	Minimum age = 18; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days
Inpefa (sotagliflozin) tablets	Minimum age = 18
Inqovi (decitabine/cedazuridine) tablet	Minimum age = 18
Insulin Cartridges/Pens	Maximum of 2 boxes every 30 days; Maximum day supply per fill = 140 <b>excluding:</b> Soliqua pen: Maximum day supply per fill = 100 days Xultophy pen: Maximum day supply per fill = 105 days
Insulin vials	Maximum of 70 mls every 30 days; (excluding Humulin R-U 500) Humulin R-U500 vial: Maximum of 20mls every 30 days
Intelence (etravirine) tablets	Minimum age = 2
Intermezzo (zolpidem tartrate) sublingual tablets	Minimum age = 18
Invega (paliperidone) ER 1.5mg, 3mg tablets	Minimum age = 12; Maximum of 1 tablet per day for ages = 6 - 17; Maximum of 1 tablet per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Invega (paliperidone) ER 6mg tablet	Minimum age = 12; Maximum of 1 tablet per day for ages = 6 - 11; Maximum of 2 tablets per day for ages = 12 - 17; Maximum of 2 tablets per day for ages ≥ 18
Invega (paliperidone) ER 9mg tablet	Minimum age = 12; Maximum of 0.67 tablet per day for ages = 6 - 11; Maximum of 1 tablet per day for ages = 12 - 17; Maximum of 1 tablet per day for ages ≥ 18
Invega Hafyera 1,092 mg/3.5 mL prefilled syringe Invega Hafyera 1,560 mg/5 mL prefilled syringe	Minimum age = 18; Maximum of 1 syringe every 180 days Maximum 180 days supply per fill
Invega Sustenna 234mg/1.5ml prefilled syringe Invega Sustenna 156mg/ml prefilled syringe Invega Sustenna 117mg/0.75ml prefilled syringe Invega Sustenna 78mg/0.5ml prefilled syringe Invega Sustenna 39mg/0.25ml prefilled syringe	Minimum age = 18; Ages ≥ 18: Maximum of 390 mg every 28 days Maximum of 2 fills every 28 days <b>Initiation dose:</b> maximum of 390mg every 28 days <b>Maintenance dose:</b> maximum of 234mg every 28 days
Invega Trinza 819mg/2.63ml syringe Invega Trinza 546mg/1.75ml syringe Invega Trinza 410mg/1.32ml syringe Invega Trinza 273mg/0.880ml syringe	Minimum age = 18; <b>Ages ≥ 18:</b> Maximum of 1 syringe every 3 months
Invokamet (canagliflozin/metformin hcl) tablet, XR tablet	Minimum age = 10; Maximum of 2 tablets per day
Invokana (canagliflozin) tablet	Minimum age = 10; Maximum of 1 tablet per day
Iqirvo (elafibranor) tablets	Minimum age = 18
Iressa (gefitinib) tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Isturisa (osilodrostat phosphate) tablet	Minimum age = 18
Itovebi (inavolisib) tablets	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Izervay (avacincaptad pegol sodium/pf) vial	Minimum age = 18
Jadenu (deferasirox) tablets, sprinkle granules	Minimum age = 2
Jakafi (ruxolitinib) tablets	Minimum age = 12; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Janumet/XR (sitagliptin/metformin) 50-500mg and 50-1000mg tablets	Minimum age = 18; Maximum 2 tablets per day
Janumet/XR (sitagliptin/metformin) 100-1000mg tablets	Minimum age = 18; Maximum 1 tablet per day
Januvia (sitagliptin) tablets	Minimum age = 18; Maximum 1 tablet per day
Jardiance (empagliflozin) tablet	Minimum age = 10; Maximum of 1 tablet per day
Jatenzo (testosterone undecanoate) capsule	Minimum age = 18
Jaypirca (pirtobrutinib) tablet	Minimum age = 18
Jelmyto (mitomycin) single-dose kit, vial	Minimum age = 18
Jemperli (dostarlimab-gxly) vial	Minimum age = 18
Jentadueto/XR (linagliptin/metformin) 2.5-500mg, 2.5-850mg, and 2.5-1000mg tablets	Minimum age = 18; Maximum 2 tablets per day
Jentadueto/XR (linagliptin/metformin) 5-1000mg tablets	Minimum age = 18; Maximum 1 tablet per day
Jesduvroq (daprodustat) tablets	Minimum age = 18
Jivi (fviii rec,b-dom delet peg-aucl) vial	Minimum age = 12
Joenja (leniolisib phosphate) tablet	Minimum age = 12
Jornay PM (methylphenidate) capsule	Minimum age = 6; Maximum of 1 capsule per day <b>For Ages ≥ 6:</b> Maximum of 100mg per day
Jublia (efinaconazole) 10% Topical Solution	Minimum age = 6



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Juluca (dolutegravir/rilpivirine) tablets	Minimum age = 18; Maximum of 1 tablet per day
Juxtapid (lomitapide) capsules	Minimum age = 18
Kadian (morphine sulfate) ER Capsules	Minimum age = 18; Maximum of 2 capsules per day (Excluding recipients with a diagnosis of cancer or sickle cell)
Kalbitor (ecallantide) vial	Minimum age = 12
Kalydeco (ivacaftor) tablets	Minimum age = 6; Maximum of 2 tablets per day
Kalydeco (ivacaftor) granules packet	Maximum age = 5; Maximum of 2 packets per day
Kapvay (clonidine ER) tablets	Minimum age = 6
Katerzia (amlodipine besylate) suspension	Minimum age = 6
Kazano (alogliptin/metformin) tablets	Minimum age = 18; Maximum 2 tablets per day
Kepivance (palifermin) vials	Minimum age = 18
Kerendia (finerenone) tablet	Minimum age = 18
Kesimpta (ofatumumab) pen	Minimum age = 18
Ketoconazole 2% cream	Maximum of 120gm every 30 days
Ketorolac tablets/injection	Minimum age = 17; Maximum day supply = 5; Maximum of 4 tablets or 4mL per day; Maximum days of therapy is 30 days every 180 day Maximum 120mg per day for intramuscular/injection
Kevzara (sarilumab) 150mg & 200mg Syringe	Minimum age = 18; Maximum of 2.28ml every 28 days
Khedezla (desvenlafaxine) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 100 mg per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Kineret (anakinra) 100mg/0.67ml Syringe	Maximum of 18.76ml every 30 days
Kisqali (ribociclib succinate) tablets	Minimum age = 18 <b>For 200mg tablet:</b> Maximum of 1 tablet per day; Maximum of 21 tablets every 28 days <b>For 400mg tablet:</b> Maximum of 2 tablet per day; Maximum of 42 tablets every 28 days <b>For 600mg tablet:</b> Maximum of 3 tablet per day; Maximum of 63 tablets every 28 days
Kisqali Femara (ribociclib succinate/letrozole) tablets	Minimum age = 18 <b>For 200-2.5mg tablets:</b> Maximum of 2 tablet per day; Maximum of 49 tablets every 28 days <b>For 400mg-2.5mg tablets:</b> Maximum of 3 tablet per day; Maximum of 70 tablets every 28 days <b>For 600mg-2.5mg tablets:</b> Maximum of 4 tablet per day; Maximum of 91 tablets every 28 days
Kitabis (tobramycin) Pak 300mg/5ml nebulizer solution	Maximum of 280ml every 56 days
Klisyri (tirbanibulin) ointment packet	Minimum age = 18
Klonopin (clonazepam)	Maximum of 90 tablets/wafers every 30 days; Maximum of 3 tablets per day
Kloxxado (naloxone hcl) nasal spray	Maximum of 4 sprays per year
Kombiglyze XR (saxagliptin/metformin) 2.5-1000mg tablets	Minimum age = 18; Maximum 2 tablet per day
Kombiglyze XR (saxagliptin/metformin) 5-500mg, 5-1000mg tablets	Minimum age = 18; Maximum 1 tablet per day





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Konvomep (omeprazole/sodium bicarbonate) oral suspension	Minimum age = 18
Korlym (mifepristone) 300mg tablets	Minimum age = 18
Korsuva (difelikefalin acetate) vials	Minimum age = 18
Krazati (adagrasib) tablets	Minimum age = 18
Krintafel (tafenoquine) 150 mg tablet	Minimum age = 16
Krystexxa (pegloticase) vial	Minimum age = 18
Kynmobi (apomorphine) sublingual film, titration kit	Minimum age = 18
Kyzatrex (testosterone undecanoate) capsule	Minimum age = 18
Lacrisert (hydroxypropyl cellulose) ophthalmic	Minimum age = 18
Lactulose	Maximum of 5400ml every 30 days
Lamictal (lamotrigine) dispersible tablets, orally disintegrating tablets, tablets	Minimum age = 2
Lamictal (lamotrigine) dose pack (25mg)	Maximum of 35 tablets (1 dose packet) every 30 days
Lamictal (lamotrigine) dose pack (25-100mg)	Package size 98 - maximum of 98 tablets (1 dose packet) every 30 days; Package size 49 - maximum of 49 tablets (1 dose packet) every 30 days
Lamictal (lamotrigine) dose pack (25-50-100mg ODT)	Maximum of 35 tablets every 30 days
Lamictal (lamotrigine) XR tablets	Minimum age = 13
Lamictal (lamotrigine) dose pack (25-50mg ODT)	Maximum of 28 tablets every 30 days
Lamictal (lamotrigine) dose pack (50-100mg ODT)	Maximum of 56 tablets every 30 days
Lamictal (lamotrigine) dose pack (25-50mg XR)	Minimum age = 13; Maximum of 28 tablets every 30 days
Lamictal (lamotrigine) dose pack (25-50-100mg XR)	Minimum age = 13; Maximum 35 tablets every 30 days
Lamictal (lamotrigine) dose pack (50-100-200mg XR)	Minimum age = 13; Maximum 35 tablets every 30 days
Lamisil (terbinafine)	Maximum of 1 tablet per day; Maximum of 84 tablets every 365 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Lampit (nifurtimox) tablet	Maximum age = 17
Lantidra (donislecel-JUJN) infusion bag	Minimum age = 18
Lastacaft (alcaftadine) eye drops	Minimum age = 2
Latuda (lurasidone) 20mg, 40mg, 60mg	Minimum age = 10; Maximum of 1 tablet per day for ages = 6-17; Maximum of 1 tablet per day for ages ≥ 18
Latuda (lurasidone) 80mg tablets	Minimum age = 10; Maximum of 1 tablet per day for ages = 6-17; Maximum of 2 tablets per day for ages ≥ 18
Latuda (lurasidone) 120mg tablets	Minimum age = 10; Maximum of 0.67 tablets per day for ages = 6-17; Maximum of 1 tablet per day for ages ≥ 18
Lazanda (fentanyl citrate) spray/pump	Minimum age = 18; Maximum of 1 unit per day
Lazcluze (lazertinib mesylate) tablet	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Lenvima (lenvatinib) capsules	Minimum age = 18 <b>For 4 mg capsules:</b> Maximum of 30 capsules every 30 days <b>For 8mg/day capsules:</b> Maximum of 60 capsules every 30 days <b>For 10mg/day capsules:</b> Maximum of 30 capsules every 30 days <b>For 12mg/day capsules:</b> Maximum of 90 capsules every 30 days <b>For 14mg/day capsules:</b> Maximum of 60 capsules every 30 days <b>For 18mg/day capsules:</b> Maximum of 90 capsules every 30 days <b>For 20mg/day capsules:</b> Maximum of 60 capsules every 30 days <b>For 24mg/day capsules:</b> Maximum of 90 capsules every 30 days
Leqembi (lecanemab-IRMB) vial	Minimum age = 18
Leqvio (inclisiran sodium) syringe	Minimum age = 18
Leuprolide acetate solution for injection 1mg/0.2ml	Maximum of 2 units every 27 days.
Levaquin (levofloxacin) oral solution	Maximum age = 11
Levaquin (levofloxacin) tablets	Minimum age = 12
Levodopa	Minimum age = 18
Levorphanol 2mg, 3mg tablets	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Lexapro (escitalopram) solution, tablets	Minimum age = 6 <b>For solution:</b> Maximum age = 11; Maximum of 20ml per day <b>For tablets:</b> Maximum of 1 tablet per day <b>For ages ≤ 5 years:</b> Maximum of 10 mg per day <b>For ages 6-12 and ≥ 18 years:</b> Maximum of 20 mg per day <b>For ages 13 – 17:</b> Maximum of 30 mg per day
Lexette (halobetasol propionate) foam	Minimum age = 12
Libervant (diazepam) film	Minimum age = 2 Maximum age = 5
Libtayo (cemiplimab-RWLC) vials	Minimum age = 18
Lidocaine 2.5%/Prilocaine 2.5% cream	Maximum of 30g every 30 days
Lidocaine 3%, 4%, 5% cream, and 5% ointment	Maximum of 60 grams every 30 days
Lidoderm (lidocaine) patches	Maximum of 90 patches every 30 days
Linzess (linaclotide) capsules	Minimum age = 6; Maximum of 1 tablet per day
Lipitor (atorvastatin) tablets	Maximum of 1 tablet per day
Litfulo (ritlecitinib tosylate) capsule	Minimum age = 12
Lithium (lithium citrate) 8mEq/5ml solution	Minimum age = 6; Maximum age = 11
Lithium carbonate IR/ ER capsules and tablets	Minimum age = 6
Lithobid (lithium carbonate) ER tablets	Minimum age = 6
Livalo (pitavastatin) tablets	Minimum age = 8 Maximum of 1 tablet per day
Livdelzi (seladelpar lysine) capsule	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Livtencity (maribavir) tablet	Minimum age = 12
Lodosyn (carbidopa)	Minimum age = 18
Lofena (diclofenac potassium) tablets	Minimum age = 18
Lokelma (sodium zirconium cyclosilicate) powder packet	Minimum age = 18
Lomustine capsules	Maximum of 6 capsules per fill; Maximum of 1 fill every 42 days
Lonsurf (tipiracil/trifluridine) 15-6.14mg tablets	Minimum age = 18; Maximum of 10 tablets per day; Maximum of 100 tablets every 28 days
Lonsurf (tipiracil/trifluridine) 20-8.19mg tablets	Minimum age = 18; Maximum of 8 tablets per day; Maximum of 80 tablets every 28 days
Loperamide	Minimum age = 2; <b>For 2mg capsules:</b> Maximum of 8 capsules per day
Lopreeza (estradiol/norethindrone) tablets	Minimum age = 18
Loqtorzi (toripalimab-TPZI) vial	Minimum age = 18
Loratadine tablets	Maximum of 1 tablet per day
Lorbrena (lorlatinib) tablets	Minimum age = 18 <b>For 25mg tablets:</b> Maximum of 3 tablets per day; Maximum of 90 tablets every 30 days <b>For 100mg tablets:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Loreev (lorazepam) XR capsules	Minimum age = 18; Maximum of 10mg per day <b>For 1mg and 2mg capsules:</b> Maximum of 1 capsule per day <b>For 3mg capsules:</b> Maximum of 3 capsules per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Loseasonique (ethinyl estradiol/levonorgestrel)	Maximum days supply = 91; Maximum of 91 tablets every 84 days
Loxapine 5mg, 10mg, 25mg capsules	Minimum age = 18; Maximum of 4 capsules per day for ages ≥ 18
Loxapine 50mg capsules	Minimum age = 18; Maximum of 3 capsules per day for ages ≥ 18
Lovaza (omega-3 acid ethyl esters)	Minimum age = 18; Maximum of 4g per day
Lovenox (enoxaparin) syringes	Maximum of 2 syringes per day
Lovenox (enoxaparin) vials	Maximum of 1 vial per day
Lucemyra (lofexidine) tablets	Minimum age = 18 Maximum of 2.88 mg per day; Maximum of 224 tablets every 14 days; Maximum of 672 tablets every year
Lumakras (sotorasib) tablets	Minimum age = 18
Lumryz (sodium oxybate) packet	Minimum age = 18
Lunesta (eszopiclone)	Minimum age = 18; Maximum of 90 tablets every 365 days
Lunsumio (mosunetuzumab-AXGB) vial	Minimum age = 18
Lupaneta (leuprolide/norethindrone acetate) 3.75mg/5mg kit	Minimum age = 18; Maximum of 1 kit every 27 days; Maximum of 12 months of therapy per lifetime
Lupaneta (leuprolide/norethindrone acetate) 11.25mg/5mg kit	Minimum age = 18; Minimum day supply = 84 days; Maximum day supply = 90 days; Maximum of 1kit every 84 days; Maximum of 12 months of therapy per lifetime
Lupkynis (voclosporin) capsules	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Lupron (leuprolide) (6 months) Depot 45mg	Minimum age = 18; Maximum day supply =175 days; Maximum of 1 kit every 175 days; Maximum quantity per fill =1
Lupron (leuprolide) (4 months) Depot 30mg	Minimum age = 18; Maximum day supply = 120; Maximum of 1 kit every 118 days; Maximum quantity per fill = 1
Lupron (leuprolide) (3 months) Depot 22.5mg	Minimum age = 18; Maximum day supply = 90; Maximum of 1 kit every 84 days; Maximum quantity per fill = 1
Lupron (leuprolide) (3 months) Depot 11.25mg	Minimum age = 18; Maximum day supply = 90; Maximum of 1 kit every 84 days; Maximum quantity per fill = 1
Lupron (leuprolide) (monthly) Depot 7.5mg	Minimum age = 18; Maximum of 1 kit every 28 days; Maximum quantity per fill = 1
Lupron (leuprolide) (monthly) Depot 3.75mg	Minimum age = 18; Maximum of 1 kit every 28 days; Maximum quantity per fill = 1
Lupron (leuprolide) (3 months) Depot Ped 11.25mg, 30mg	Minimum age = 1; Maximum age = 12; Maximum day supply = 90; Maximum of 1 kit every 84 days; Maximum quantity per fill = 1
Lupron (leuprolide) (monthly) Depot Ped 7.25mg, 11.25mg, 15mg	Minimum age = 1; Maximum age = 12; Maximum of 1 kit every 28 days; Maximum quantity per fill = 1
Lupron (leuprolide) (6months) Depot Ped 45mg	Minimum age = 1 Maximum age = 12 Maximum of 1 syringe every 180 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Lybalvi (olanzapine/samidorphan malate) tablets	Minimum age = 18; Maximum of 1 tablet per day
Lyfgenia (lovotibeglogene autotemcel) bag	Minimum age = 12
Lynparza (olaparib) capsules	Minimum age = 18; <b>For 50mg Capsules:</b> Maximum of 16 capsules per day; Maximum of 480 capsules every 30 days <b>For 100mg &amp; 150mg Capsules:</b> Maximum of 4 tablets per day; Maximum of 120 capsules every 30 days
Lyrica (pregabalin) capsules/solution	Maximum of 600mg per day
Lysodren (mitotane) tablets	Minimum age = 18; Maximum of 38 tablets per day; Maximum of 1,140 tablets every 30 days
Lysteda (tranexamic acid)	Maximum of 30 tablets every 28 days
Lytgobi (futibatinib) daily dose pack	Minimum age = 18
Lyumjev (insulin lispro-aabc) Kwikpen, vial	Minimum age = 1
Lyvispah (baclofen) granule packet	Minimum age = 12
Macrobid (nitrofurantoin monohyd/m-cryst) capsules	Minimum age = 12
Maprotiline tablets	Minimum age = 18; Maximum of 225 mg per day; Maximum of 3 tablets per day
Margenza (margetuximab-cmkb) vial	Minimum age = 18
Marplan (isocarboxazid)	Minimum age = 16; Maximum of 60 mg per day; Maximum of 6 tablets per day
Matulane (procarbazine) capsules	Maximum of 56 capsules every 30 days
Mavenclad (cladribine) tablets	Minimum age = 18





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Mavyret (glecaprevir/pibrentasvir) pellet packets, tablets	Minimum age = 3; <b>For pellet packets:</b> Maximum of 5 pellet packets per day; Maximum of 280 pellets per lifetime <b>For tablets:</b> Maximum of 3 tablet per day; Maximum of 168 tablets per lifetime
Maxalt (rizatriptan) 5mg, 10mg, 5mgMLT, 10mgMLT	Minimum age = 6; Maximum of 12 tablets every 30 days
Mayzent (siponimod) starter pack, tablets	Minimum age = 18
Mekinist (trametinib)	Minimum age = 1; <b>For 0.5mg:</b> Maximum of 3 tablets per day; Maximum of 90 tablets every 30 days <b>For 2mg:</b> Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Mektovi (binimetinib) tablets	Minimum age = 18; Maximum of 6 tablets per day; Maximum of 180 tablets every 30 days
Mephyton (phytonadione (vit k1)) 5mg tablets	Maximum of 5 tablets every 30 days
Mercaptopurine tablets	Maximum of 90 tablets every 30 days
Methylphenidate 10mg, 20mg capsules	Minimum age = 6; Maximum of 1 capsule per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Methylphenidate 30mg capsules	Minimum age = 6; Maximum of 0.833 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Methylphenidate 40mg capsules	Minimum age = 6; Maximum of 0.625 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Methylphenidate 50mg capsules	Minimum age = 6; Maximum of 0.5 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Methylphenidate 60mg capsules	Minimum age = 6; Maximum of 0.416 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Metadate ER 20mg tablets	Minimum age = 6; Maximum of 1 tablet per day for ages = 0-5 Maximum of 4.5 tablets per day for ages ≥ 18
Metformin 500mg/ 500mg XR tablets	Maximum of 5 tablets per day
Metformin ER 750mg tablets	Maximum of 3.5 tablets per day
Metformin 850mg tablets	Maximum of 3 tablets per day
Metformin 1000mg tablets	Maximum of 2.5 tablets per day
Methadone ODT/tablets/suspension/injection/diskets dispersible tablets	Minimum age = 18; <b>For tablets and solution:</b> Maximum 60mg per day (Excluding recipients with a diagnosis of cancer or sickle cell)
Methotrexate (oral)	Maximum of 300 tablets every 30 days
Methylphenidate 2.5mg, 5mg chewable tablets	Maximum of 5 tablets per day for ages = 0-5 Maximum of 3 tablets per day for ages ≥ 18
Methylphenidate 10mg chewable tablets	Maximum of 2 tablets per day for ages = 0-5 Maximum of 3 tablets per day for ages ≥ 18
Methylin (methylphenidate) 5mg/5ml solution	Maximum of 25mls per day for ages = 0-5 Maximum of 60mls per day for ages ≥ 18
Methylin (methylphenidate) 10mg/5ml solution	Maximum of 12.5mls per day for ages = 0-5 Maximum of 30mls per day for ages ≥ 18
Methylphenidate ER 10mg	Minimum age = 6; Maximum of 2 tablets per day for ages = 0-5 Maximum of 4.5 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Metoclopramide 5mg, 10mg tablet, ODT, & solution	Maximum of 40mg per day for ages < 18 Maximum of 60mg per day for ages ≥ 18 Maximum of 3 fills with day supply ≥ 28 Maximum of 12 weeks of therapy every 365 days
Metrocream (metronidazole) 0.75% cream	Maximum of 90gm every 30 days
Metronidazole 0.75% lotion	Maximum of 90gm every 30 days
Miacalcin (calcitonin)	Minimum age = 18; Maximum of 3.7ml every 28 days
Midazolam oral syringe/syrup	Maximum of 10mls per fill (prescription)
Miebo (perfluorohexyloctane/PF) eye drops	Minimum age = 18
Migranal (dihydroergotamine mesylate) nasal spray	Minimum age = 18
Mimvey, Mimvey Lo (estradiol/norethindrone) Tablets	Minimum age = 18
Minivelle (estradiol) patches	Maximum of 8 patches every 30 days
Minolira (minocycline) ER tablet	Minimum age = 12
Miplyffa (arimocloamol citrate) capsule	Minimum age = 2
Miralax (polyethylene glycol-electrolyte solution)	Maximum of 527g every 30 days
Mirapex, Mirapex ER (pramipexole)	Minimum age = 18
Mitigare (colchicine) capsules	Minimum age = 18; Maximum of 6 capsules every 30 days
Mitoxantrone 2mg/ml vials	Minimum age= 18
Moderiba (ribavirin) tablets	Minimum age = 5
Molindone Tablets	Minimum age = 18
Molnupiravir capsules (EUA)	Minimum age = 18; Maximum of 40 capsules every 5 days; Maximum of 2 fills every 365 days
Monjuvi (tafasitamab-cxix) vial	Minimum age = 18
Morphabond (morphine sulfate) ER tablets	Minimum age = 18
Motegrity (prucalopride) tablets	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Mounjaro (tirzepatide) pen	Minimum age = 18 Maximum of 2mL every 30 days
Movantik (naloxegol) capsules	Minimum age = 18; Maximum of 1 tablet per day
Moviprep (peg3350/sod sul/nacl/kcl/asb/c) powder kit	Minimum age = 18
MS Contin (morphine sulfate ER) tablets	Minimum age = 18; Maximum of 3 tablets per day (Excluding recipients with a diagnosis of cancer or sickle cell)
Mucolytics	Maximum age = 20
Multivitamins with fluoride	Maximum age = 12
Mupirocin cream	Maximum of 60g every 30 days
Mupirocin ointment	Maximum of 44g every 30 days
Mycapssa (octreotide acetate) DR capsule	Minimum age = 18
Mydayis (dextroamphetamine/amphetamine) capsules	Maximum of 1 capsule per day; <b>For Age ≥ 18 years:</b> Maximum of 50mg per day <b>For 12.5mg and 25mg capsules:</b> Minimum age = 13 <b>For 37.5mg and 50mg capsules:</b> Minimum age = 18
Myfembree (relugolix/estradiol/norethindrone) tablets	Minimum age = 18
Myhibbin (mycophenolate mofetil) Suspension	Maximum age = 11
Myleran (busulfan) tablets	Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days
Myorisan (isotretinoin) 10mg,20mg,30mg,40mg Capsules	Minimum age = 12
Myrbetriq (mirabegron) ER suspension/tablets	Minimum age = 3
Mytesi (crofelemer) tablets	Minimum age = 18
Naglazyme (galsulfase) Solution for Injection	Minimum age = 5
Namenda (memantine) tablets/solution	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Namenda XR (memantine) capsules	Minimum age = 18; Maximum of 1 capsule per day
Namzaric (memantine/donepezil) capsules	Minimum age = 18
Naproxen 125mg/5ml suspension	Maximum age = 11
Narcan (naloxone) nasal spray	Maximum of 4 sprays per year
Nardil (phenelzine sulfate) tablets	Minimum age = 18; Maximum of 90 mg per day; Maximum of 6 tablets per day
Nasonex (mometasone furoate)	Maximum of 17g every 30 days
Natesto (testosterone) nasal gel pump	Minimum age = 18
Nayzilam (midazolam) 5 mg nasal spray	Minimum age = 12; Maximum of 10 sprays every 30 days
Nefazodone tablets	Minimum age = 18; Maximum of 600 mg per day; <b>For 50 mg, 150 mg, 200 mg, 250 mg tablets:</b> Maximum of 2 tablets per day <b>For 100 mg tablets:</b> Maximum of 6 tablets per day
Nemludio (nemolizumab-ILTO) pen	Minimum age = 18
Nerlynx (neratinib maleate) tablets	Minimum age = 18; Maximum of 6 tablets per day; Maximum of 180 tablets every 30 days
Nesina (alogliptin) tablets	Minimum age = 18; Maximum 1 tablet per day
Neuac (benzoyl peroxide/clindamycin) gel, kit	Minimum Age= 12
Neupro (rotigotine)	Minimum age = 18
Nexavar (sorafenib) tablets	Minimum age = 18; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Nexium (esomeprazole) oral suspension packets	Maximum age = 11; Maximum of 30 packets every 30 days
Nexium (esomeprazole) capsules	Maximum of 1 capsule per day
Nexium (esomeprazole) vials	Minimum age = 1; Maximum of 1 vial per day
Nexletol (bempedoic acid) tablets	Minimum age = 18
Nexlizet (bempedoic acid/ezetimibe) tablet	Minimum age = 18
Nexobrid (anacaulase-BCDB) gel	Minimum age = 18
Nexvzyme (avalglucosidase alfa-ngpt) vial	Minimum age = 1
Ngenla (somatrogon-GHLA) pen	Minimum age = 3
Nicotine products	Minimum age = 18; Maximum of 168 days (24 weeks) of therapy every 365 days
Nilandron (nilutamide) tablets	Minimum age = 18; Maximum of 30 tablets every 30 days
Nilutamide tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Nimodipine capsules	Minimum age = 18
Ninlaro (ixazomid) capsules	Minimum age = 18; Maximum of 3 capsules every 28 days
Nitazoxanide tablets	Minimum age = 12
Nitroglycerin patches	Maximum of 1 patch per day
Nitroglycerin SL tablets	Maximum of 16 tablets per day
Norethindrone (norethindrone acetate) 5 mg tab (Lupaneta)	Minimum age = 18
Norliqva (amlodipine besylate) solution	Minimum age = 6



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Norpramin (desipramine) tablets	Minimum age = 13; <b>For ages ≤ 17 years:</b> Maximum of 150mg per day <b>For ages ≥ 18 years:</b> Maximum of 200mg per day <b>For 10mg tablets:</b> Maximum of 8 tablets per day <b>For 25mg, 50mg, 75mg, and 100mg tablets:</b> Maximum of 2 tablets per day <b>For 150mg tablets:</b> Maximum of 1 tablet per day
Nortriptyline 10mg/5ml solution	Minimum age = 13; Maximum of 150 mg per day; Maximum of 75 mL per day
Norvir (ritonavir) capsules/tablets	Maximum days supply = 60
Norvir (ritonavir) solution	Maximum days supply = 90
Nourianz (istradefylline) tablets	Minimum age = 18
Nucala (mepolizumab) auto injector/syringe/vial	Minimum age = 6
Nucynta (tapentadol) tablets	Minimum age = 6
Nucynta (tapentadol) ER Tablets	Minimum age = 18; Maximum of 2 tablets per day
Nuedexta (dextromethorphan/quinidine) Capsules	Minimum age = 18
Nuplazid (pimavanserin tartrate) tablets	Minimum age = 18
Nurtec (rimegepant sulfate) ODT tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 16 tablets every 30 days
NuvaRing (etonogestrel/ethinyl estradiol)	Minimum age = 12; Maximum of 1 ring every 21 days;



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Nuvigil (armodafinil) tablets	Minimum age= 18; Maximum 250mg per day <b>For 50mg:</b> Maximum 2 tablets per day <b>For 150mg, 200mg, 250mg:</b> Maximum 1 tablet per day
Nuzyra (omadacycline tosylate) tablet/vial	Minimum age = 18
Nymalize (nimodipine) oral syringes	Minimum age = 18
Nystatin 100,000 unit/gm cream, ointment	Maximum of 90gm every 30 days
Ocrevus zunovo (ocrelizumab-hyaluronidase-OCSQ)	Minimum age = 18
Odactra (mite,d.farinae-d.pteronysinus) SL tablet	Minimum age = 12 Maximum age = 65
Odomzo (sonidegib) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days
Odefsey (emtricitabine/rilpivirine/tenofovir) tablets	Minimum age = 12; Maximum of 1 tablet per day
Ofloxacin tablets	Minimum age = 12
Ogsiveo (nirogacestat hydrobromide) tablets	Minimum age = 18
Ohtuvayre (ensifentrine) inhalation suspension	Minimum age = 18
Ojjaara (momelotinib dihydrochloride) tablets	Minimum age = 18
Olopatadine 0.1%, 0.2% eye drops	<b>For Rx Required = No:</b> Maximum age = 20
Olumiant (baricitinib) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Olysio (simeprevir) capsules	Minimum age = 18
Omega-3 acid ethyl esters	Minimum age = 18
Onexton (benzoyl peroxide/clindamycin) gel/pump	Minimum Age= 12
Onfi (clobazam) oral suspension/tablets	Minimum age = 2





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Ontruzant (trastuzumab-dttb) vial	Minimum age = 18
Ogivri (trastuzumab-dkst) vial	Minimum age = 18
Omisirge (omidubicel-ONLV) infusion kit	Minimum age = 12
OmvoH (mirikizumab-MRKZ) pen, syringe, vial	Minimum age = 18
Onglyza (saxagliptin) tablets	Minimum age = 18; Maximum 1 tablet per day
Onpattro (patisiran sodium, lipid complex) vial	Minimum age = 18
Onureg (azacitidine) tablet	Minimum age = 18
Onyda XR (clonidine hcl) suspension	Minimum age = 6
Onzetra Xsail (sumatriptan succinate) nosepiece	Minimum age = 18
Opdivo (nivolumab) vial	Minimum age - 12
Opdivo Qvantig (nivolumab-hyaluronidase-NVHY)	Minimum age = 18
Opdualag (nivolumab-relatlimab-RMBW) vials	Minimum age = 12
Opfolda (miglustat) capsule	Minimum age = 18 Maximum of 8 capsules every 28 days
OpiPza (aripiprazole) film	Minimum age = 6
Opsynvi (macitentan/tadalafil) tablets	Minimum age = 18
Opvee (nalmefene hcl) 2.7 mg nasal spray	Minimum age = 12; Maximum of 4 sprays per year
Opzelura (ruxolitinib phosphate) cream	Minimum age = 12; Maximum of 240gm every 30 days
Oralair (gr pol-orc/sw ver/rye/kent/tim) sublingual tablet	Minimum age = 5 Maximum age = 65
Orap (Pimozide) Tablets	Minimum age = 18; Maximum of 1 tablet per day for ages = 6 - 17
Oravig (miconazole nitrate) Buccal Tablet	Minimum age = 16
Orencia (abatacept) clickject, syringe, vial	Minimum age = 2; Maximum of 4ml every 28 days
Orenitram (treprostinil diolamine) ER tablet, titration kit	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Orgovyx (relugolix) 120 mg tablet	Minimum age = 18
Orkambi (lumacaftor/ivacaftor) granule packet	Minimum age = 1 Maximum age = 5 Maximum of 2 packets per day
Orkambi (lumacaftor/ivacaftor) 100-125mg tablet	Minimum age = 6; Maximum of 4 tablets per day
Orkambi (lumacaftor/ivacaftor) 200-125mg tablet	Minimum age = 12; Maximum of 4 tablets per day
Orladeyo (berotralstat hydrochloride) 110 mg capsule	Minimum age = 12
Orserdu (elacestrant hydrochloride) tablet	Minimum age = 18
Ortikos (budesonide) ER capsules	Minimum age = 8
Oseni (alogliptin/pioglitazone) tablets	Minimum age = 18; Maximum 1 tablet per day
Osmolex (amantadine) ER tablets	Minimum age = 18
Otezla (apremilast) 10-20-30mg tablet dose pack, 30mg tablets	Minimum age= 6; <b>For 30mg tablets:</b> Maximum of 2 tablets per day; <b>For starter/dose pack:</b> Maximum of 1 pack every 365 days
Over the counter (OTC) products	Maximum age = 20 *Excluding Insulin, smoking deterrent agents, and products identified for cystic fibrosis diagnosed patients
Ovide (malathion)	Maximum of 60ml every 30 days; Maximum of 2 prescription fills every 60 days
Oxandrolone tablets	Maximum of 8 tablets per day
Oxazepam capsules	Minimum age = 6; Maximum of 4 capsules per day; Maximum of 120 capsules every 30 days
Oxbryta (voxelotor) tablet for suspension, tablets	Minimum age = 4
Oxtellar (oxcarbazepine) XR tablet	Minimum age = 6



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Oxycodone IR	<p><b>For 5mg:</b> Maximum of 12 tablets per day (360 tabs every 30 days)</p> <p><b>For 5mg/5ml oral soln:</b> Maximum of 60ml per day (1800ml every 30 days)</p> <p><b>For 7.5mg:</b> Maximum of 8 tablets per day (240 tabs every 30 days)</p> <p><b>For 10mg, 15mg, 30mg:</b> Maximum of 6 tablets per day (180 tabs every 30 days)</p> <p><b>For 20mg tab and 20mg/ml oral soln:</b> Maximum of 9 tablets/ml per day (270 tabs/ml every 30 days)</p>
Oxycontin (oxycodone SR)	<p>Minimum age = 11;</p> <p><b>For 10mg, 15mg, 20mg, 30mg, 40mg, 60mg:</b> Maximum of 2 tablets per day (60 tabs every 30 days)</p> <p><b>For 80mg:</b> Maximum of 4 tablets per day (120 tabs every 30 days)</p>
Oxycodone/Ibuprofen tablets	<p>Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days</p>
Oxymorphone ER Tablets	<p>Minimum age = 18;</p> <p>Maximum of 2 tablets per day (Excluding recipients with a diagnosis of cancer or sickle cell)</p>
Oxytrol (oxybutynin) Patch	Maximum of 8 patches every 30 days
Ozempic (semaglutide) dose pen	<p>Minimum age = 18</p> <p><b>For 0.25-0.5mg Dose Pen:</b> Maximum Days supply per fill= 42 Maximum of 3mLs every 28 days</p> <p><b>For 1mg Dose Pen:</b> Maximum of 3mLs every 28 days</p> <p><b>For 2mg Dose Pen:</b> Maximum of 3mLs every 28 days</p>
Paclitaxel Solution for Injection	Maximum of 1 prescription every 7 days
Padcev (enfortumab vedotin-ejfv) vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Palforzia (peanut allergen powder-dnfp) capsule/sachet	Minimum age = 1
Palynziq (pegvaliase-PQPZ) syringe	Minimum age = 18
Pamelor (nortriptyline) capsules	Minimum age = 13; Maximum of 150 mg per day; <b>For 10 mg capsules:</b> Maximum of 8 capsules per day <b>For 25 mg capsules:</b> Maximum of 4 capsules per day <b>For 50 mg capsules:</b> Maximum of 3 capsules per day <b>For 75 mg capsules:</b> Maximum of 2 capsules per day
Paregoric	Maximum of 1200mls every 30 days
Parlodel (bromocriptine)	Minimum age = 11
Paxil (paroxetine) suspension	Minimum age = 6; Maximum age = 11; Maximum 30 mL per day; Maximum of 60mg per day
Paxil (paroxetine) IR/CR tablets	Minimum age = 6; Maximum of 2 tablets per day (excluding the 12.5mg CR strength) <b>For 12.5mg CR:</b> Maximum of 1 tablet per day; <b>For 10mg IR, 20mg IR, 30mg IR, 40mg IR tablets and 10mg/5mL soln:</b> Maximum of 60mg per day <b>For 10mg IR, 20mg IR, 40mg IR tablets:</b> Maximum of 1 tablet per day <b>For 12.5mg CR, 25mg CR, and 37.5mg CR:</b> Maximum of 75 mg per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Paxlovid Co-Pack tablets (EUA)	Minimum age = 12; Maximum of 30 tablets every 5 days; Maximum of 2 fills every 365 days
Pediatric vitamin preparations	Maximum age = 12 *excluding recipients with Cystic Fibrosis diagnosis *except Aquadeks pediatric liquid: maximum age = 3
Pegasys (Peginterferon Alfa-2a)	Minimum age = 3; Maximum of 1 kit every 28 days
Peg Intron (peginterferon alfa-2b)	Minimum age = 3
Pemazyre (pemigatinib) tablet	Minimum age = 18
Pemrydi RTU (pemetrexed disodium) vial	Minimum age = 18
Pentasa (mesalamine) capsule	Minimum age = 18
Pepaxto (melphalan flufenamide hcl) vial	Minimum age = 18
Percocet (oxycodone/acetaminophen) 2.5/325, 5/325	Maximum of 12 tablets per day
Percocet (oxycodone/acetaminophen) 7.5/325	Maximum of 8 tablets per day
Percocet (oxycodone/acetaminophen) 10/325	Maximum of 6 tablets per day
Perforomist (formoterol) Neb solution	Minimum age = 18; Maximum of 1 fill every 30 days; Maximum of 120ml per fill.
Perphenazine 2mg Tablets	Minimum age = 6; Maximum of 6 tablets per day for age = 6 - 11; Maximum of 11 tablets per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Perphenazine 4mg Tablets	Minimum age = 6; Maximum of 3 tablets per day for age = 6 - 11; Maximum of 5.5 tablets per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Perphenazine 8mg Tablets	Minimum age = 6; Maximum of 1.5 tablets per day for age = 6 - 11; Maximum of 2.75 tablets per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Perphenazine 16mg Tablets	Minimum age = 6; Maximum of 0.75 tablets per day for age = 6 - 11; Maximum of 1.375 tablets per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Perphenazine/Amitriptyline 2-10mg Tablets	Minimum age = 18; Maximum of 8 tablets per day for ages ≥ 18
Perphenazine/Amitriptyline 2-25mg, 4-10mg, 4-25mg, 4-50mg tablets	Minimum age = 18; Maximum of 4 tablets per day for ages ≥ 18
Perseris (risperidone) ER syringe kit	Minimum age = 18; Maximum of 120mg per month Maximum of 1 fill per month
Pexeva (paroxetine mesylate) tablets	Minimum age = 18; Maximum of 60mg per day; <b>For 10mg, 20mg, and 40mg tablets:</b> Maximum of 1 tablet per day <b>For 30mg tablets:</b> Maximum of 2 tablets per day
Phesgo (pertuzumab-trastuzumab-hy-zzxf) vial	Minimum age = 18
Phexxi (lactic acid/citric/potassium) vaginal gel	Minimum age = 12
Piasky (crovalimab-AKKZ) vial	Minimum age = 13
Pifeltro (doravirine) tablets	Minimum age = 12; Maximum of 1 tablet per day
Piqray (alpelisib) daily dose pack	Minimum age = 18
Pivva (pivmecillinam hcl) tablets	Minimum age = 18
Plan B One Step / Aftera/ Econtra EZ/ FallBack Solo / My Way / Next Choice / Opcon / Take Action (levonorgestrel)	Minimum age = 12; Maximum of 2 packages every 30 days
Plegridy (peginterferon beta-1A) 63-94mcg syringe; pen injection	Minimum age= 18; Maximum 250mcg per day; Maximum 1 kit every 28 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Plegridy (peginterferon beta-1A) 125mcg/0.5ml syringe; pen injection	Minimum age= 18; Maximum 250mcg per day; Maximum 1mL every 28 days
Plenvu (peg3350/sod sul/nacl/kcl/asb/c) powder packets	Minimum age = 18
Pluvicto (lu-177 vipivotide tetraxetan) vials	Minimum age = 18
Pneumovax 23	Minimum age = 2; Maximum quantity per fill: 0.5mL; <b>LTC residents:</b> Recipients ages = 50-64 are allowed 2 vaccines per lifetime and a fill limit of 1 prescription every 5 years; Recipients ages ≥ 65 are allowed 1 vaccine per lifetime
Pomalyst (pomalidomide) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 21 caps every 28 days
Pombiliti (cipaglicosidase ALFA-ATGA) vial	Minimum age = 18
Ponvory (ponesimod) starter pack, tablets	Minimum age = 18; <b>For 14-day starter pack:</b> Maximum of 1 fill every 365 days <b>For tablets:</b> Maximum of 1 tablet per day
Pradaxa (dabigatran etexilate) capsules, pellet pack	<b>For Capsules:</b> Minimum age = 8 <b>For Pellet Pack:</b> Maximum age = 12
Praluent (alirocumab) syringe/pen injection	Minimum age = 8; <b>For 75mg/mL and 150mg/mL pen:</b> Maximum of 2 pens every 28 days
Prednisolone Tab Rapids (ODT)	Maximum age = 11
Premarin (estrogens, conjugated/equine) Vaginal	Maximum quantity per fill = 42.5g
Premphase (estrogens, conjugated/equine, and medroxyprogesterone)	Maximum of 1 tablet per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Prempro (estrogen, conjugated/equine, and medroxyprogesterone)	Maximum of 1 tablet per day
Prenatal vitamins (unless otherwise listed)	Minimum age = 12
Prepopik (sod picosulf/mag ox/citric ac) powder packet	Minimum age = 9
Pretomanid 200 mg tablet	Minimum age = 18
Prevacid (lansoprazole) 15mg solutabs/ODT	Minimum age = 1; Maximum age = 11; Maximum of 2 capsules/tablets per day for ages = 1-11 Maximum of 3 capsules/tablets per day for ages ≥ 12
Prevacid (lansoprazole) 30mg solutabs/ODT	Minimum age = 1; Maximum age = 11; Maximum of 1 capsule/tablet per day for ages = 1-11 Maximum of 3 capsules/tablets per day for ages ≥ 12
Prevacid (lansoprazole) 15mg capsules	Minimum age = 1; Maximum of 2 capsule/tablet per day for ages = 1-11 Maximum of 3 capsules/tablets per day for ages ≥ 12
Prevacid (lansoprazole) 30mg capsules	Minimum age = 1; Maximum of 1 capsule/tablet per day for ages = 1-11 Maximum of 3 capsules/tablets per day for ages ≥ 12
Preveduo (glycopyrrolate/neostigmine) syringe	Minimum age = 2
Prevnar 13	Maximum quantity per fill: 0.5mL; LTC residents: Maximum of 1 vaccine per lifetime
Prevnar 20	Maximum quantity per fill: 0.5mL; LTC residents: Maximum of 1 vaccine per lifetime
Prevpac (lansoprazole/amoxicillin/clarithromycin)	Maximum of 8 tablets per day; Maximum of 224 tablets/capsules (2 packs) every 28 days
Prezcobix (darunavir/cobicistat) tablets	Minimum age = 12; Maximum of 1 tablet per day





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Prilosec (omeprazole) 10mg, 20mg, 40mg capsules	Minimum age = 1; Maximum of 1 capsule per day
Prilosec (omeprazole) 2.5mg suspension packet	Maximum of 3 packets per day
Prilosec (omeprazole) 10mg suspension packet	Maximum of 2 packets per day
Primaxin (imipenem/cilastatin) IM 500mg	Maximum of 3 vials per day
Primaxin (imipenem/cilastatin) IV 500mg	Maximum of 8 vials per day
Pristiq (desvenlafaxine succinate)	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days; Maximum of 100 mg per day
ProAir (albuterol) HFA	Maximum of 2 inhalers every 30 days
ProAir (albuterol) Respiclick	Maximum of 2 inhalers every 30 days
Probuphine (buprenorphine) 74.2mg implant	Minimum age = 16; Maximum days supply = 180; Maximum of 1 package (4 implants) every 180 days
Procentra (dextroamphetamine) Solution	Minimum age = 3; Maximum age = 5 Maximum of 15 mls per day for ages 0-5
Prolastin C (alpha-1-proteinase inhibitor human)	Minimum age = 18
Prolia (denosumab) 60mg injection	Maximum of 1 injection (1ml) every 175 days
Promacta (eltrombopag olamine) suspension packets, tablets	Minimum age = 1
Proton Pump Inhibitors	Maximum of 1 fill every 30 days; Maximum of 6 fills every 365 days; (excluding recipients with a diagnosis of Zollinger-Ellison syndrome, Barrett's esophagus, gastric malignancy, cystic fibrosis, or history of gastric bypass, gastroparesis, gastrostomy, gastroenterostomy, gastrojejunostomy, jejunostomy, nasogastric tube, nasointestinal, or Barrett's esophagus without dysplasia)



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Protonix (pantoprazole) suspension packets	Minimum age = 5; Maximum age = 11; Maximum of 30 packets every 30 days
Protonix (pantoprazole) 20mg tablets	Minimum age = 5; Maximum of 1 tablet per day
Protonix (pantoprazole) 40mg tablets/vials	Minimum age = 5; Maximum of 2 tablets/vials per day
Protopic (tacrolimus) 0.1% ointment	Minimum age = 16; Maximum of 1 fill every 30 days; <b>For 15gm, 30gm, 60gm, &amp; 100gm pkg size:</b> Maximum of 1 tube every 30 days
Protopic (tacrolimus) 0.03% ointment	Maximum of 1 fill every 30 days; <b>For 15gm, 30gm, 60gm, &amp; 100gm pkg size:</b> Maximum of 1 tube every 30 days
Protriptyline tablets	Minimum age = 13; Maximum of 60 mg per day; <b>For 5 mg tablets:</b> Maximum of 12 tablets per day <b>For 10 mg tablets:</b> Maximum of 6 tablets per day
Proventil (albuterol) HFA	Maximum of 13.4g (2 inhalers) every 28 days
Provigil (modafinil) 100mg tablets	Minimum age = 18; Maximum 3 tablets per day
Provigil (modafinil) 200mg tablets	Minimum age = 18; Maximum 2 tablets per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Prozac (fluoxetine) capsules	Minimum age = 6; <b>For 10mg and 40mg capsules:</b> Maximum of 2 capsules per day <b>For 20mg Capsules:</b> Maximum of 3 capsules per day <b>For ages ≤ 5 years:</b> Maximum of 10 mg per day <b>For ages 6 – 17:</b> Maximum of 60 mg per day <b>For ages ≥ 18 years:</b> Maximum of 80 mg per day
Prozac (fluoxetine) Weekly	Minimum age = 6; Maximum of 4 capsules every 30 days
Pulmicort (budesonide) Flexhaler	Minimum age = 5; Maximum of 1 inhaler every 30 days
Pulmicort (budesonide) Respules	Minimum age = 1 Maximum age = 8; Maximum of 2 respules per day
Pulmozyme (dornase alpha)	Maximum age = 65; Maximum quantity per fill = 150mls; Maximum of 2 ampules (5ml) per day
Purixan (mercaptopurine) suspension	Maximum of 100mls every 30 days
Pylera (bismuth/metronid/tetracycline) capsule	Minimum age = 18
Pyrukynd (mitapivat sulfate) tablets, taper pack	Minimum age = 18
Qalsody (tofersen) vial	Minimum age = 18
Qelbree (viloxazine) ER capsule	Minimum age = 6 <b>For ER 100mg &amp; 150mg capsules:</b> Maximum of 2 capsules per day <b>For ER 200mg capsules:</b> Maximum of 3 capsules per day
Qinlock (ripretinib) tablet	Minimum age = 18
Qlosi (pilocarpine hcl) 0.4% drops	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Qnasl 40mcg (beclomethasone) HFA inhaler	Minimum age = 4; Maximum age = 11
Qnasl 80mcg (beclomethasone) HFA inhaler	Minimum age = 12; Maximum age = 17
Qtern (dapagliflozin/saxagliptin hcl) tablets	Minimum age = 18; Maximum of 1 tablet per day
Quartette (ethinyl estradiol/levonorgestrel) tablets	Maximum days supply = 91; Maximum of 91 tablets every 84 days
Quillichew ER (methylphenidate extended release) chewable tablets	Minimum age = 6
Quillivant XR (methylphenidate extended release) powder for suspension	Minimum age = 6; Maximum of 5 mls per day for ages = 0-5 Maximum of 12 mls per day for ages ≥ 18
Qulipta (atogepant) tablets	Minimum age = 18; Maximum of 1 tablet per day
Quviviq (daridorexant hcl) tablets	Minimum age = 18
Qvar (beclomethasone) inhaler	Minimum age =5
Qvar (beclomethasone) Redihaler	Minimum age =4
QWO (collagenase clostridium histolyticum-AAES) vials	Minimum age = 18
Ragwitek (weed pollen-short ragweed) sublingual tablet	Minimum age = 5
Rayaldee (calcifediol) ER capsule	Minimum age = 18
Razadyne / ER (galantamine)	Minimum age = 18
Recarbrio (imipenem/cilastatin/relebactam) vial	Minimum age = 18
Reclast (zoledronic acid) 5mg injection	Maximum of 100ml (1 injection) every 355 days
Regranex (becaplermin) Gel	Minimum age = 16; Maximum of 140g every 365 days; Maximum quantity per fill = 15g
Rebif (interferon beta-1a) 22mcg/0.5ml , 44mcg/0.5ml dispense syringes/pens	Maximum of 6 mls every 28 days
Rebif (interferon beta-1a) 8.8-22 mcg titration pack	Maximum of 4.20mls every 28 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Rebif Rebidose(interferon beta-1a) 8.8-22mcg titration pack	Maximum of 4.20mls every 28 days
Reblozyl (luspatercept-aamt) 75 mg vial	Minimum age = 18
Rebyota (fecal microbiota; live-JSLM) rectal suspension	Minimum age = 18
Recorlev (levoketoconazole) tablets	Minimum age = 18
Rectiv (nitroglycerin) ointment	Minimum age = 18
Relenza (zanamivir)	Minimum age = 6; Maximum of 2 prescriptions every 365 days; Maximum quantity per fill = 20g
Relxii (methylphenidate) ER tablet	Minimum age = 6
Relistor (methylalntrexone bromide) syringe, tablets, vials	Minimum age = 18 <b>For 150mg tablets:</b> Maximum of 3 tablets per day <b>For 12mg/0.6mL vial/syringe:</b> Maximum of 18mL every 30 days <b>For 8mg/0.4mL: syringe:</b> Maximum of 12mL every 30 days
Relpax (eletriptan)	Minimum age = 18; Maximum of 6 tablets every 30 days
Relyvrio (sodium phenylbutyrate/taurursodiol) powder packet	Minimum age = 18
Remeron (mirtazapine) tablets and ODT	Minimum age = 6; Maximum of 45 mg per day; Maximum of 1 tablet per day
Remicade (infliximab) 100mg vial	Minimum age= 6; Maximum of 14 vials every 28 days; Maximum days supply = 56
Renflexis (infliximab-ABDA) 100mg vial	Minimum age = 6; Maximum of 14 vials every 28 days; Maximum days supply = 56
Renvela (sevelamer) powder for oral suspension	Maximum age = 11



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Repatha (evolocumab) Pushtronx, Sureclick, Syringe	Minimum age = 10; <b>For 140mg/mL Sureclick:</b> Maximum of 6 pens every 28 days <b>For 140mg/mL Syringe:</b> Maximum of 6 syringes every 28 days
Requip, Requip XL (ropinirole)	Minimum age = 18
Reset (SUD) digital therapy	Minimum age = 18; Maximum of 2 fills every 365 days; Maximum day supply per fill = 90 days; Maximum of 1 fill every 90 days
Reset-O (OUD) digital therapy	Minimum age = 18; Maximum of 2 fills every 365 days; Maximum day supply per fill = 84 days; Maximum of 1 fill every 84 days
Restoril (temazepam) Capsules	Minimum age = 18
Retevmo selpercatinib) capsule	Minimum age = 2
Retin-A (tretinoin) 0.01% & 0.025% gel, 0.025%, 0.05%, 0.1% cream, 0.05% liquid/solution	Minimum Age= 12
Retin-A Micro (tretinoin) 0.04%, 0.06 %, 0.08%, 0.1% gel, gel pump	Minimum age= 12
Revlimid (lenalidomide) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 30 capsules every 28 days
Revurorj (revumenib citrate) tablet	Minimum age = 1
Rexulti (brexpiprazole) tablets	Minimum age = 13; Maximum of 1 tablet per day
Reyvow (lasmiditan succinate) tablets	Minimum age = 18 Maximum of 8 tablets every 28 days
Rezdiffra (resmetirom) tablets	Minimum age = 18
Rezlidhia (olutasidenib) capsules	Minimum age = 18
Rezurock (belumosudil mesylate) tablets	Minimum age = 12
Rezzayo (rezafungin acetate) vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Rhopressa (netarsudil mesylate) 0.02% eye drops	Minimum age = 18; Maximum of 2.5 mL every 25 days
Riabni (rituximab-arrx) 100 mg/10 ml vial	Minimum age = 18
Ribavirin (Rebetol; Virazole) Capsules, Tablets, Oral solution, Powder for nebulizer solution	Minimum age = 5
Rinvoq (upadacitinib) ER tablets	Minimum age = 2; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Rinvoq LQ (upadacitinib) solution	Minimum age = 2
Riomet (metformin) solution, ER suspension	Minimum age = 10 <b>For ER suspension:</b> Maximum of 600mLs every 28 days
Risperdal (risperidone) Consta	Minimum age = 18; Maximum of 2 boxes every 28 days
Risperdal (risperidone) 1mg/ml solution	Minimum age = 6; Maximum of 4mls per day for ages = 6 - 11; Maximum of 6mls per day for ages = 12-17; Maximum of 16mls per day for ages ≥ 18
Risperdal (risperidone) 0.25mg, 0.5mg tablets (including M/ODT)	Minimum age = 6; Maximum of 8 tablets per day for ages = 6 - 17; Maximum of 2 tablets per day for ages ≥ 18
Risperdal (risperidone) 1mg tablets (including M/ODT)	Minimum age = 6; Maximum of 4 tablets per day for ages = 6 - 11; Maximum of 6 tablets per day for ages = 12-17; Maximum of 2 tablets per day for ages ≥ 18
Risperdal (risperidone) 2mg tablets (including M/ODT)	Minimum age = 6; Maximum of 2 tablets per day for ages = 6 - 11; Maximum of 3 tablets per day for ages = 12-17 Maximum of 2 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Risperdal (risperidone) 3mg tablets (including M/ODT)	Minimum age = 6; Maximum of 1.33 tablets per day for ages = 6 - 11; Maximum of 2 tablets per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Risperdal (risperidone) 4 mg tablets (including M/ODT)	Minimum age = 6; Maximum of 1 tablet per day for ages = 6 - 11; Maximum of 1.5 tablets per day for ages = 12-17; Maximum of 4 tablets per day for ages ≥ 18
Ritalin (methylphenidate) 5mg tablets	Maximum of 5 tablets per day for ages = 0-5 Maximum of 3 tablets per day for ages ≥ 18
Ritalin (methylphenidate) 10mg tablets	Maximum of 2 tablets per day for ages = 0-5 Maximum of 3 tablets per day for ages ≥ 18
Ritalin (methylphenidate) 20mg tablets	Maximum of 1 tablet per day for ages = 0-5 Maximum of 3 tablets per day for ages ≥ 18
Ritalin LA (methylphenidate) 10mg, 20mg capsules	Minimum age = 6; Maximum of 1 capsule per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Ritalin LA (methylphenidate) 30mg capsules	Minimum age = 6; Maximum of 0.833 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Ritalin LA (methylphenidate) 40mg capsules	Minimum age = 6; Maximum of 0.625 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Ritalin LA (methylphenidate) 60mg capsules	Minimum age = 6; Maximum of 0.416 capsules per day for ages = 0-5 Maximum of 1 capsule per day for ages ≥ 18
Rivfloza (nedosiran sodium) syringe, vial	Minimum age = 9
Robinul (glycopyrrolate) vials	Maximum 30ml per day
Rocklatan (netarsudil mesylate/latanoprost) 0.02%- 0.005% eye drops	Minimum age = 18
Roctavian (valoctocogene roxaparvovc-RVOX)	Minimum age = 18





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Rolvedon (eflapegrastim-XNST) syringe	Minimum age = 18
Romidepsin vial	Minimum age = 18
Rosadan (metronidazole) 0.75% cream, gel	Maximum of 90gm every 30 days
Roszet (ezetimibe/rosuvastatin) tablets	Minimum age = 18
Rozerem (ramelteon) Tablets	Minimum age = 65 Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Rubraca (rucaparib) tablets	Minimum age = 18; Maximum of 4 tablets per day Maximum of 1200 mg per day
Ruconest (C1 esterase inhibitor [recombinant]) 2100 unit vial	Minimum age = 12 Maximum of 8 vials every 30 days
Rukobia (fostemsavir tromethamine) ER tablets	Minimum age = 18; Maximum of 2 tablets per day
Ruxience (rituximab-PVVR) vial	Minimum age = 18; Maximum of 736mLs every 30 days
Ruzurgi (amifampridine) tablet	Minimum age = 6; Maximum age = 16
Ryaltris (olopatadine hcl/mometasone) spray	Minimum age = 12
Rybelsus (semaglutide) tablets	Minimum age = 18 Maximum of 1 tablet per day <b>For 3mg tablet:</b> Maximum of 30 tablets every 365 days
Rybrevant (amivantamab-vmjw) vials	Minimum age = 18
Rydapt (midostaurin) capsules	Minimum age = 18; Maximum of 8 tablets per day; Maximum of 240 tablets every 30 days
Rystiggo (rozanolixizumab-NOLI) vial	Minimum age = 18
Rytary (carbidopa/levodopa) ER capsules	Minimum age = 18
Rytelo (imetelstat sodium) vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Ryzumvi (phentolamine mesylate/pf) eye drop	Minimum age = 3
Sogroya (somapacitan-BECO) pen	Minimum age = 2
Sajazir (icatibant acetate) syringe	Minimum age = 18
Salycim (salicylic acid) cream	Minimum age = 2
Sandostatin LAR Depot (octreotide) kit, Powder for suspension for Injection	Minimum age = 6
Santyl (collagenase clostridium) ointment	Maximum of 90 grams every 28 days
Saphnelo (anifrolumab-fnia) vials	Minimum age = 18
Saphris (asenapine) 5mg SL tablets	Minimum age = 10; Maximum of 2 tablets per day for ages = 6-17; Maximum of 2 tablets per day for ages ≥ 18
Saphris (asenapine) 10mg SL tablets	Minimum age = 10; Maximum of 1 tablet per day for ages = 6-11; Maximum of 2 tablets per day for ages = 12-17; Maximum of 2 tablets per day for ages ≥ 18
Sarafem (fluoxetine) tablet	Minimum age = 6
Sarclisa (isatuximab-irfc) vials	Minimum age = 18
Savaysa (edoxaban tosylate) tablets	Minimum age = 18; Maximum of 1 tablet per day; Minimum of 30 tablets every 30 days
Saxenda (liraglutide) pen	Minimum age = 12
Scemblix (asciminib) tablets	Minimum age = 18
Schedule II – V controlled substances	Maximum of 4 fills per 30days For a diagnosis of Sickle Cell or Cancer or LTC (Long term care coverage indicator): Maximum of 6 fills every 30 days
Seasonique (ethinyl estradiol/levonorgestrel)	Maximum days supply = 91; Maximum of 91 tablets every 84 days
Secuado (asenapine) patch	Minimum age = 18; Maximum of 30 patches every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Sedative Hypnotics, non-barbiturate *** (excluding injectable formulations)	Maximum of 30 tablets/capsules every 30 days
Seglentis (tramadol hcl/celecoxib) tablets	Minimum age = 18
Segluromet (ertugliflozin/metformin) tablets	Minimum age = 18 <b>For 2.5-500mg tablets:</b> Maximum of 4 tablets per day <b>For 2.5-1000mg, 7.5-500mg, 7.5-1000mg tablets:</b> Maximum of 2 tablets per day
Sensipar (cinacalcet) Tablets	Minimum age = 18
Serevent (salmeterol) Diskus	Minimum age = 4; Maximum of 1 inhaler every 30 days
Seroquel (quetiapine) 25mg tablets	Minimum age = 6; Maximum of 8 tablets per day for ages = 6 - 17; Maximum of 3 tablets per day for ages ≥ 18
Seroquel (quetiapine) 50 mg tablets	Minimum age = 6; Maximum of 6 tablets per day for ages = 6 - 17; Maximum of 2 tablets per day for ages ≥ 18
Seroquel (quetiapine) 100mg tablets	Minimum age = 6; Maximum of 4 tablets per day for ages = 6 - 11; Maximum of 5 tablets per day for ages = 12 -17; Maximum of 2 tablets per day for ages ≥ 18
Seroquel (quetiapine) 200mg tablets	Minimum age = 6; Maximum of 2 tablets per day for ages = 6 - 11; Maximum of 4 tablets per day for ages = 12 -17; Maximum of 5 tablets per day for ages ≥ 18
Seroquel (quetiapine) 300mg tablets	Minimum age = 6; Maximum of 1.33 tablets per day for ages = 6-11; Maximum of 2.7 tablets per day for ages = 12-17; Maximum of 3 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Seroquel (quetiapine) 400mg tablets	Minimum age = 6; Maximum of 1 tablets per day for ages = 6 - 11; Maximum of 2 tablets per day for ages = 12 -17; Maximum of 2 tablets per day for ages ≥ 18
Seroquel (quetiapine) 150mg & 200mg XR tablets	Minimum age = 6; Maximum of 1 tablet per day
Seroquel (quetiapine) 50mg, 300mg,& 400mg XR tablets	Minimum age = 6; Maximum of 2 tablets per day
Serostim (somatropin) 4mg, 5mg, 6mg vials	Minimum age = 18
Setlakin (ethinyl estradiol/levonorgestrel)	Maximum days supply = 91; Maximum of 91 tablets every 84 days
Sevenfact (coagulation viia, recomb-JNCW) vials	Minimum age = 12
Shingrix (varicella-zoster virus) vaccination	LTC residents: Minimum age = 18
Signifor (pasireotide diaspertate) ampule	Minimum age = 18
Signifor LAR (pasireotide pamoate) kit, vial	Minimum age = 18
Siklos (hydroxyurea) tablets	Minimum age = 2; Maximum of 3,500mg per day
Silenor (doxepin) tablets	Minimum age = 6
Siliq (brodalumab) 210mg Syringe	Minimum age = 18; Maximum of 3ml every 28 days
Simlandi(CF) (adalimumab-RYVK)	Minimum age = 2
Simponi (golimumab) pen injector/syringe	Minimum age = 18; Maximum of 1ml every 28 days
Simponi Aria (golimumab) vial	Minimum age = 2; Maximum of 16ml every 56 days; Maximum days supply = 56
Sinemet (carbidopa/levodopa) tablet	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Singular (montelukast) chewable tablets, granules, tablets	Maximum of 30 tablets every 30 days <b>For 4mg granules:</b> Maximum age = 4
Sirturo (bedaquiline fumarate) tablet	Minimum age = 5
Sivextro (tedizolid phosphate) tablets, vial	Minimum age = 12
Skeletal Muscle Relaxants Baclofen Tablets Lorzone (chlorzoxazone) Tablets Amrix/Fexmid (cyclobenzaprine) Capsules/Tablets Orphenadrine ER Tablets Robaxin (methocarbamol) Tablets Zanaflex (tizanidine) Capsules/Tablets	Maximum of 6 fills every 365 days  Note: Baclofen and Zanaflex duration limitation is dependent upon the diagnosis; please review the automation logic via :  <a href="http://ahca.myflorida.com/medicaid/Prescribed_Drug/drug_criteria.shtml">http://ahca.myflorida.com/medicaid/Prescribed_Drug/drug_criteria.shtml</a>
Skyclarys (omaveloxolone) capsule	Minimum age = 16
Skyrizi (risankizumab-rzaa) on-body, pen, syringe, vial	Minimum age = 18; Maximum days supply = 84; <b>For 75mg/0.83ml syringe:</b> Maximum of 1.66ml every 84 days <b>For 150mg dose kit- 2syringe:</b> Maximum of 1 kit every 84 days <b>For 150mg/mL pen/syringe:</b> Maximum of 1 mL every 90 days
Skysona (elivaldogene autotemcel) infusion bag-cassette	Minimum age = 4 Maximum age = 17
Skytrofa (lonapegsomatropin-tcgd) cartridge	Minimum age = 1
Slynd (drospirenone) tablets	Minimum age = 12
Smoking Deterrents	Minimum age = 18; Maximum of 168 days (24 weeks) of therapy every 365 days
Sodium Fluoride Drops	Maximum days supply = 50



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Solaraze (diclofenac) 3% gel	Minimum age = 18; Maximum of 200gm every 30 days
Soliqua (insulin glargine/lixisenatide) pen	Minimum age = 18; Maximum of 30 mLs (2 boxes) every 30 days; Maximum day supply per fill = 100 days
Solosec (secnidazole) granule packet	Minimum age = 12
Soltamox (tamoxifen citrate) solution	Minimum age = 18; Maximum of 20ml per day; Maximum of 600mls every 30 days
Sonata (zaleplon) Capsules	Minimum age = 18; Maximum of 2 capsules per day; Maximum of 60 capsules every 30 days
Soma (carisoprodol)/ Carisoprodol-Aspirin/ Carisoprodol-Aspirin-Codeine	Minimum age = 16; Maximum 120 tablets every 365 days
Somatropin (Genotropin cartridge, miniquick syringes Humatrope cartridge, vials Norditropin cartridge, vials Norditropin Flexpro cartridges Nutropin AQ cartridges, vials Saizen cartridges, vials, Zomacton vials, Zorbtive vials)	Maximum age = 16
Sorilux (calcipotriene) 0.005% Foam	Minimum age = 4; Maximum of 2 fills every 90 days; Maximum of 120 grams every 28 days
Sotyktu (deucravacitinib) tablets	Minimum age = 18
Sovaldi (sofobuvir) pellet packet, tablets	Minimum age = 3; Maximum of 168 tablets per lifetime
Spevigo (spesolimab-SBZO) vial	Minimum age = 12



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Spiriva (tiotropium) handihaler	Minimum age = 18; Maximum of 30 capsules every 30 days
Spiriva (tiotropium) respimat	Minimum age = 6
Sporanox (itraconazole)	Maximum of 6 tablets per day
Spravato (esketamine) nasal spray/dose pack	Minimum age = 18
Spritam (levetiracetam) tablets	Minimum age = 4
Sprix (ketorolac tromethamine) 15.75mg Spray	Minimum age = 2
Sprycel (dasatinib) 50mg, 70mg 100mg, 140mg tablets	Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Sprycel (dasatinib) 20mg, 80mg tablets	Maximum of 2 tablet per day; Maximum of 60 tablets every 30 days
Suboxone (buprenorphine/naloxone) sublingual film and Buprenorphine/naloxone tablets	Minimum age = 16; Maximum of 3 sublingual film/tabs per day
Sutab (sod sulf/pot chloride/mag sulf) tablets	Minimum age = 18
Stalevo (carbidopa/levadopa/entacapone)	Minimum age = 18
Statins	Maximum of 2 tablets per day [excluding Lipitor (atorvastatin) and Livalo (pitavastatin)]
Steglatro (ertugliflozin pidolate) tablet	Minimum age = 18 Maximum of 1 tablet per day
Steglujan (ertugliflozin/sitagliptin) tablet	Minimum age = 18 Maximum of 1 tablet per day
Stelara (ustekinumab) syringe/vial	Minimum age = 6 <b>For 45mg/0.5mL syringe/vials:</b> Maximum of 0.5 mL every 84 days <b>For 90mg/mL syringe:</b> Maximum of 1 mL every 56 days <b>For 130mg/26mL vial:</b> Maximum of 4 vials (104mL) every 365 days
Stiolto (tiotropium/olodaterol) Respimat inhalation spray	Maximum of 4gm (1 inhaler) every 25 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Stivarga (regorafenib) capsules	Minimum age = 18; Maximum of 4 capsules per day; Maximum of 84 capsules every 28 days
Strattera (atomoxetine) capsules	Minimum age = 6
Striant (testosterone) buccal system	Minimum age = 18
Stribild (elvitegravir/cobicistat/emtricitabine/tenofovir)	Minimum age = 12; Maximum of 1 tablet per day
<b>Striverdi Respimat (olodaterol hcl) inhalation spray</b>	<b>Minimum age = 18</b>
Stromectol (ivermectin) tablets	Maximum of 10 tablets every 90 days
Sublocade (buprenorphine) Soler Syringe	Minimum age = 18; Maximum of 300 mg every 30 days
Subsys (fentanyl) spray	Minimum age = 18; Maximum of 4 units per day; Maximum of 120 units every 30 days
Subvenite (lamotrigine) tablets	Minimum age = 2
Suflave (polyethylene glycol 3350, sodium sulfate, potassium chloride, magnesium sulfate, and sodium chloride) powder	Minimum age = 18
Sumavel System (sumatriptan) DosePro Needleless System	Minimum age = 18; Maximum of 3mL every 30 days
Sunlenca (lenacapavir sodium) tablet, vial	Minimum age = 18 <b>For tablets:</b> Maximum of 2 fills every 365 days <b>For vials:</b> Maximum of 6mLs per year
Sunosi (solriamfetol) tablets	Minimum age = 18
Supprelin LA (histrelin) implant	Minimum age =2; Maximum age = 12; Maximum day supply =355 days; Maximum of 1 kit every 355 days; Maximum quantity per fill =1
Suprep (sodium, potassium,mag sulfates) bowel prep kit	Minimum age = 12





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Surmontil (trimipramine) capsules	Minimum age = 13; <b>For ≤ 17 years:</b> Maximum of 100 mg per day <b>For ≥ 18 years:</b> Maximum of 200 mg per day <b>For 25 mg, 50 mg tablets:</b> Maximum of 3 tablets per day <b>For 100 mg tablets:</b> Maximum of 2 tablets per day
Sutent (sunitinib) capsules	Minimum age = 18; Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days
Syfovre (pegcetacoplan/PF) vial	Minimum age = 18
Symbicort (budesonide and formoterol) inhaler	Minimum age = 6 Maximum of 1 inhaler every 30 days; <b>For 6 count:</b> Maximum of 6 grams per fill <b>For 6.9 count:</b> Maximum of 6.9 grams per fill <b>For 10.2 count:</b> Maximum of 10.2 grams per fill
Symbyax (olanzapine/fluoxetine) capsules	Minimum age = 10; Maximum of 1 capsule per day
Symdeko (tezacaftor/ivacaftor) tablets	Minimum age = 6; Maximum of 2 tablets per day
Symfi, Symfi Lo (efavirenz, lamivudine and tenofovir disoproxil fumarate) tablets	Minimum age = 12; Maximum of 1 tablet per day
Symlinpen (pramlintide acetate) pen injector	Minimum age = 18; <b>For 60mg Pen Injector:</b> Maximum of 4 pens (6mLs) every 28 days <b>For 120mg Pen Injector:</b> Maximum of 4 pens (10.8mLs) every 28 days
Sympazan (clobazam) film	Minimum age = 2
Symtuza (darunavir/cobicistat/emtricitabine/tenofovir alafenamide) tablets	Minimum age = 12; Maximum of 1 tablet per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Synagis (palivizumab)	<p>Maximum age = 2;</p> <p>Maximum of one 50mg vial per fill;</p> <p>Maximum of 5 doses per season</p> <p>Refer to criteria for the season in each region:  <a href="https://ahca.myflorida.com/Medicaid/Prescribed_Drug/drug_criteria_pdf/Synagis_Criteria.pdf">https://ahca.myflorida.com/Medicaid/Prescribed_Drug/drug_criteria_pdf/Synagis_Criteria.pdf</a></p>
Synarel (nafarelin) nasal spray	Maximum of 40mg (5 bottles) every 27 days.
Synjardy (empagliflozin/metformin hcl) tablets, XR tablets	<p><b>For tablets:</b></p> <p>Minimum age = 10</p> <p><b>For XR tablets:</b></p> <p>Minimum age = 18</p> <p><b>For 5-500mg tablets:</b></p> <p>Maximum of 4 tablets per day</p> <p><b>For 5-1000mg, 12.5-1000mg, 12.5-500mg tablets:</b></p> <p>Maximum of 2 tablets per day</p> <p><b>For XR 25-1000mg tablets:</b></p> <p>Maximum of 1 tablet per day</p> <p><b>For XR 5-1000mg, XR 12.5-1000mg, XR 10-1000mg tablets:</b></p> <p>Maximum of 2 tablets per day</p>
Synribo (omacetaxine) vial	Minimum age = 18
Tabrecta (capmatinib hydrochloride) tablet	Minimum age = 18
Taclonex (calcipotriene/betamethasone) ointment, suspension	<p>Minimum age = 12;</p> <p>Maximum of 400 grams every 28 days</p>
Tadliq (tadalafil) suspension	Minimum age = 18
Tafinlar (dabrafenib) capsules	<p>Minimum age = 1;</p> <p>Maximum of 4 capsules per day;</p> <p>Maximum of 120 capsules every 30 days</p>
Tagrisso (osimertinib) tablets	<p>Minimum age = 18</p> <p>Maximum of 1 tablet per day;</p> <p>Maximum of 30 tablets every 30 days</p>



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Takhzyro (lanadelumab-flyo) 300mg/2mL vial	Minimum age = 2 Maximum of 4mLs every 28 days
Talicia (omeprazole/amoxicill/rifabutin) DR capsule	Minimum age = 18
Taltz (ixekizumab) 80mg/ml Auto Inj, Syringe	Minimum age = 6; Maximum of 1ml every 28 days
Talvey (talquetamab-TGVS) vial	Minimum age = 18
Talzenna (talazoparib tosylate) capsules	Minimum age = 18 <b>For 0.25mg capsules:</b> Maximum of 3 capsules per day; Maximum of 90 capsules every 30 days <b>For 0.1mg capsule:</b> Maximum of 4 capsules per day; Maximum of 120 capsules every 30 days <b>For 0.35mg capsules:</b> Maximum of 2 capsules per day; Maximum of 60 capsules every 30 days <b>For 0.5mg and 0.75mg capsules:</b> Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days <b>For 1mg capsules:</b> Maximum of 1 capsule per day; Maximum of 30 capsules every 30 days
Tamiflu (oseltamivir) capsules/suspension	Maximum of 2 prescriptions every 365 days; <b>For 30 mg Capsules:</b> Maximum of 20 capsules per fill; <b>For 45 mg &amp; 75 mg Capsules:</b> Maximum of 10 capsules per fill; <b>For 6 mg/mL Suspension:</b> Maximum age = 12; Maximum quantity of 180 mL per fill (36 mL per day)



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Tamoxifen 10mg tablets	Minimum age = 18; Maximum of 3 tablets per day; Maximum of 90 tablets every 30 days
Tamoxifen 20mg tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Tanzeum (albiglutide) pen injector	Minimum age = 18 Maximum of 4 pens every 28 days
Tarceva (erlotinib) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Targretin (bexarotene) capsules	Minimum age = 18; Maximum of 60 capsules every 30 days
Tarpeyo (budesonide) DR capsule	Minimum age = 18
Tascenso (fingolimod lauryl sulfate) ODT tablets	Minimum age = 10
Tasigna (nilotinib) capsules	Minimum age = 1 <b>For 50mg capsules:</b> Maximum of 4 capsules per day <b>For 50mg, 150mg, &amp; 200mg capsules:</b> Maximum of 4 capsules per day; Maximum of 120 capsules every 30 days
Tasmar (tolcapone)	Minimum age = 18
Taxotere (docetaxel) vials	Minimum age = 18
Tazorac (tazarotene)	Maximum of 30g every 30 days
Tazverik (tazemetostat hydrobromide) tablet	Minimum age = 16
Tecelra (afamitresgene autoleucel) infusion bag-cassette	Minimum age = 18
Tecentriq Hybreza (atezolizumab-hyaluronidas-TQJS)	Minimum age = 18
Tecfidera (dimethyl fumarate)	Minimum age = 18; Maximum 2 capsules per day
Technivie (ombitasvir/paritaprevir/ritonavir) Tablets	Minimum age = 18
Tecvayli (teclistamab-CQYV) vials	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Tegsedi (patisiran sodium, lipid complex) syringe	Minimum age = 18
Tekturna (aliskiren hemifumarate) tablets	Minimum age = 6
Tekturna (aliskiren/hydrochlorothiazide) HCT tablets	Minimum age = 18
Temixys (lamivudine/tenofovir disoproxil fumarate) tablets	Minimum age = 12; Maximum of 1 tablet per day
Temodar (temozolomide) capsules	Maximum of 60 capsules every 28 days
Tepezza (teprotumumab-TRBW) vial	Maximum of 11 vials every 28 days
Tepmetko (tepotinib) tablets	Minimum age = 18
Testim (testosterone) gel	Minimum age = 18
Testopel (testosterone) pellet	Minimum age = 18
Terazol (terconazole) 7 cream	Maximum quantity per fill = 45g
Terlivaz (terlipressin acetate) vial	Minimum age = 18
Tevimbra (tislelizumab-JSGR) vial	Minimum age = 18
Tezspire (Tezepelumab-EKKO) syringe	Minimum age = 12
Thalomid (thalidomide) capsules	<b>For 50mg, 100mg, 150mg capsules:</b> Maximum of 1 capsule per day; Maximum of 30 capsules every 28 days <b>For 200mg capsules:</b> Maximum of 2 capsules per day; Maximum of 60 capsules every 28 days
Thioridazine 10mg, 25mg, 50mg tablets	Minimum age = 18; Maximum of 4 tablets per day for ages ≥ 18
Thioridazine 100mg tablets	Minimum age = 18; Maximum of 8 tablets per day for ages ≥ 18
Thiothixene 1mg, 2mg, 5mg capsules	Minimum age = 18; Maximum of 3 capsules per day for ages ≥ 18
Thiothixene 10mg capsules	Minimum age = 18; Maximum of 6 capsules per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Tibsovo (ivosidenib) tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Timolol drops	Maximum of 15ml every 30 days
Tivdak (tisotumab vedotin-tftv) vial	Minimum age = 18
Tixagevimab 150 mg/1.5 ml vial (EUA)	Minimum age = 12
Tlando (testosterone undecanoate) capsule	Minimum age = 18
Tobradex (tobramycin/dexamethasone) eye drops, ointment	Minimum age = 2
Tobramycin drops	Maximum of 10ml every 30 days
Tobi (tobramycin) solution for inhalation 300mg/5ml	Maximum of 280ml every 56 days
Tofidence (tocilizumab-BAVI) vial	Minimum age = 2
Tofranil (imipramine) tablets	Minimum age = 6 <b>For ages ≤ 12 years:</b> Maximum of 50mg per day <b>For ages 13 – 17:</b> Maximum of 100mg per day <b>For ages ≥ 18 years:</b> Maximum of 200mg per day <b>For 10mg tablets:</b> Maximum of 8 tablets per day <b>For 25mg tablets:</b> Maximum of 3 tablets per day <b>For 50mg tablets:</b> Maximum of 4 tablets per day
Tolsura (itraconazole) capsule	Minimum age = 18
Tosymra (sumatriptan) nasal spray	Minimum age = 18
Toviaz (fesoterodine) 4mg, 8mg tablets	Minimum age = 6
Tradjenta (linagliptin) tablets	Minimum age = 18; Maximum 1 tablet per day



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Tramadol 25mg/5mL cup	Minimum age = 18
Tramadol 100mg tablet	Minimum age = 12
Tramadol extended release 100mg, 200mg, 300mg tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Trandate (labetalol)	Maximum of 8 tablets per day
Transderm Scop (scopolamine) 1.5mg/3day Patches	Minimum age = 18; Maximum of 10 patches every 30 days
Tranycypromine tablets	Minimum age = 18; Maximum of 60 mg per day; Maximum of 6 tablets per day
Travatan (travoprost) Z drops	Maximum of 5ml every 30 days
Trazodone tablets	Minimum age = 6; Maximum of 400 mg per day; <b>For 50 mg, 150 mg tablets:</b> Maximum of 2 tablets per day <b>For 100 mg tablets:</b> Maximum of 4 tablets per day <b>For 300 mg tablets:</b> Maximum of 1 tablet per day
Trelegy Ellipta (fluticasone/umeclidinium/vilanterol) inhaler	Minimum age = 18 Maximum of 2 inhalations per day
Trelstar (triptorelin pamoate) vial	Minimum age = 18 <b>For 3.75mg vial:</b> Maximum of 1 vial every 30 days <b>For 11.25mg vial:</b> Maximum of 1 vial every 90 days <b>For 22.5mg vial:</b> Maximum of 1 vial every 180 days
Tremfya (guselkumab) 100mg Syringe, Auto-injector, Pen	Minimum age = 18; Maximum of 1ml every 56 days; Maximum days supply = 56



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Tretinoin capsules	Minimum age = 1
Tretin-X (tretinoin) 0.075% cream	Minimum age = 12
Treximet (sumatriptan/naproxen)	Minimum age = 12; Maximum of 9 tablets every 30 days
Trifluoperazine 1mg, 2mg, 5mg tablets	Minimum age = 18; Maximum of 3 tablets per day for ages ≥ 18
Trifluoperazine 10mg tablets	Minimum age = 18 Maximum of 4 tablets per day for ages ≥ 18
Trihexyphenidyl	Minimum age = 18
Trijardy (empagliflozin/linagliptin/metformin) XR tablets	Minimum age = 18
Trikafta (elexacaftor/tezacaftor/ivacaftor) packet, tablet	Minimum age = 2 <b>For packets:</b> Maximum of 2 packets per day <b>For tablets:</b> Maximum of 3 tablets per day
Trintellix (vortioxetine) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 20 mg per day
Triptodur (triptorelin pamoate) 22.5 mg kit/vial	Minimum age = 2 Maximum age = 12; Maximum of 1 kit/vial every 6 months
Triumeq (abacavir/dolutegravir/lamivudine) tablets	Minimum age = 6; Maximum of 1 tablet per day
Triumeq PD (abacavir/dolutegravir/lamivudine) tablet for oral suspension	Maximum of 6 tablet per day
Trodelyv (sacituzumab govitecan-hziy) vial	Minimum age = 18
Trogarzo (ibalizumab-uiyk) vial	Minimum age = 18
Trokendi (topiramate XR) capsules	Minimum age = 6
Trospium Tablets, ER	Minimum age = 17
Trudhesa (dihydroergotamine mesylate) nasal spray	Minimum age = 18





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Trulance (plecanatide) tablets	Minimum age = 18; Maximum of 1 tablet per day
Trulicity (dulaglutide) pen	Minimum age = 10 Maximum of 3mLs every 28 days
Truqap (capiwasertib) tablets	Minimum age = 18
Truseltiq (infgratinib phosphate) daily dose pack	Minimum age = 18
Truvada (emtricitabine; tenofovir disoproxil fumarate) tablets	Maximum of 1 tablet per day
Truxima (rituximab-abbs) 100 mg/10 ml vial	Minimum age = 18
<b>Tryngolza (olezarsen sodium) autoinjector</b>	<b>Minimum age = 18</b>
Tryvio (aprocitentan) tablets	Minimum age = 18
Tukysa (tucatinib) tablet	Minimum age = 18
Turalio (pexidartinib hydrochloride) capsules	Minimum age = 18
Twirla (levonorgestrel/ethinyl estradiol) patch	Minimum age = 12
Twyneo (tretinoin/benzoyl peroxide) cream	Minimum age = 9
Tybost (cobicistat) tablets	Minimum age = 12; Maximum of 1 tablet per day
Tyenne (tocilizumab-AAZG) vial	Minimum age = 2
Tygacil (tigecycline) powder for injection	Minimum age = 18
Tykerb (lapatinib) tablets	Minimum age = 18; Maximum of 6 tablets per day; Maximum of 180 tablets every 30 days
Tylenol (acetaminophen) containing products	Maximum of 4GM (4000mg) per day
Tylenol (acetaminophen) 160mg chew tablets, disintegrating tablets, elixir, liquid, solution, suspension	Maximum age = 6
Tylenol (acetaminophen) Arthritis	Maximum of 150 tablets every 30 days
Tylenol (acetaminophen) with codeine tablets	Minimum age = 12; Maximum of 12 tablets per day
Tyrvaya (varenicline tartrate) nasal spray	Minimum age = 18



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Tysabri (natalizumab) 300mg/15ml vial	Minimum age= 18; Maximum 15mL every 28 days
Tyvaso (treprostinil) nebulizer solution	Maximum of 81.20mls every 28 days
Ubrelyv (ubrogepant) tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 16 tablets every 30 days
Ukoniq (umbralisib tosylate) tablets	Minimum age = 18
Ultracet (tramadol/acetaminophen) tablets	Minimum age = 18; Maximum of 8 tablets per day
Ultram (tramadol) 50mg tablets	Minimum age = 12 Maximum of 8 tablets per day; <b>For ages 0-15 years:</b> Maximum of 60 tablets every 27 days
Ultravate (halobetasol propionate) 0.05% lotion	Minimum age = 12
Uplizna (inebilizumab-cdon) vial	Minimum age = 18
Uptravi (selexipag) tablet/titration pack/vial	Minimum age = 18
Utibron (indacaterol/glycopyrrolate) neohaler	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Uzedy (risperidone) ER syringe	Minimum age = 18; <b>For 50mg/0.14mL syringe:</b> Maximum of 0.28mL per month <b>For 75mg/0.21mL syringe:</b> Maximum of 0.21mL per month <b>For 100mg/0.28mL syringe:</b> Maximum of 0.28mL per month Maximum days supply = 60 <b>For 125mg/0.35mL syringe:</b> Maximum of 0.35mL per month <b>For 150mg/0.42mL syringe:</b> Maximum of 0.42mL every 2 months Maximum days supply = 60 <b>For 200mg/0.56mL syringe:</b> Maximum of 0.56mL every 2 months Maximum days supply = 60 <b>For 250mg/0.7mL syringe:</b> Maximum of 0.7mL every 2 months Maximum days supply = 60
Vabysmo (faricimab-SVOA) vial	Minimum age = 18
Vafseo (vadadustat) tablet	Minimum age = 18
Vagifem vaginal tablets (estradiol)	Maximum 1 fill every 28 days; Package size 8 - maximum of 8 tabs every 28 days; Package size 18 - maximum of 18 tabs every 28 days;
Valsartan solution	Minimum age = 1
Valtoco (diazepam) nasal spray	Minimum age = 6; <b>For 5mg &amp; 10mg:</b> Maximum of 10 blister packs (10 spray devices) every 30 days <b>For 15mg &amp; 20mg:</b> Maximum of 10 blister packs (20 spray devices) every 30 days
Vanatol LQ (butalbital/acetaminophen/caffeine) oral solution	Maximum of 180 mL every 355 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Vanflyta (quizartinib dihydrochloride) tablet	Minimum age = 18
Varubi (rolapitant) 90mg tablets	Minimum age = 2
Vascepa (icosapent ethyl) capsules	Minimum age = 18
Vaxneuvance (pneumococcal 15-valent conjugate-dip crm/pf) syringe	Maximum quantity per fill: 0.5mL; Minimum age = 18; LTC residents: Maximum of 1 vaccine per lifetime
Vectical (calcitriol) 3mcg/g ointment	Minimum age = 2; Maximum of 800 grams every 28 days
Vegzelma (bevacizumab-ADCD) vial	Minimum age = 18
Velphoro (sucroferric oxyhydroxide) chewable tablet	Minimum age = 9
Velsipity (etrasimod arginine) tablets	Minimum age = 18
Veltassa (patiomer) powder packet	Minimum age = 12
Veltin (clindamycin/tretinoin) gel	Minimum Age= 12
Vemlidy (tenofovir alafenamide fumarate) tablet	Minimum age = 6
Venbysi (venlafaxine besylate) tablet	Minimum age = 18
Venclexta (Venetoclax) 10-50-100mg Dose Pack	Minimum age= 18; Maximum of 42 tablets every 30 days; Maximum of 1 fill every 365 days
Venclexta (Venetoclax) 10mg tablet	Minimum age= 18; Maximum of 2 tablets per day; Maximum of 14 tablets every 30 days
Venclexta (Venetoclax) 50mg tablet	Minimum age= 18; Maximum of 1 tablet per day; Maximum of 7 tablets every 30 days
Venclexta (venetoclax) 100 mg tablet	Minimum age= 18; Maximum of 6 tablets per day; Maximum of 180 tablets every 30 days
Venlafaxine ER 37.5mg, 75mg, 150mg, & 225mg tablets	Maximum of 1 tablet per day
Venngel One (diclofenac sodium) kit	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Ventolin (albuterol) HFA	Maximum quantity of 2 inhalers every 30 days
Ventavis (iloprost) nebulizer solution	Maximum of 270ml every 30 days
Veopoz (pozelimab-BBFG) vial	Minimum age = 1
Veregen (sinecatechins) Ointment	Minimum age = 18
Verquvo (vericiguat) tablets	Minimum age = 18
Versacloz (clozapine) 50mg/ml suspension	Minimum age = 6; Maximum of 300mg per day for ages = 6 - 11; Maximum of 600mg per day for ages = 12-17; Maximum of 18ml per day for ages ≥ 18
Verzenio (abemaciclib) tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 56 tablets every 28 days
Vesicare (solifenacin) 5mg, 10mg tablets	Minimum age = 18
Vesicare (solifenacin) LS suspension	Minimum age = 2
Vibativ (telavancin)	Minimum age = 18
Vibrant capsule, starter kit	Minimum age = 18
Vicodin (hydrocodone/acetaminophen) 5/300mg	Maximum of 8 tablets per day
Vicodin (hydrocodone/acetaminophen) ES 7.5/300mg	Maximum of 6 tablets per day
Vicodin HP (hydrocodone/acetaminophen) 10/300mg	Maximum of 6 tablets per day
Victoza (liraglutide) pen	Minimum age = 10; Maximum of 9mLs every 30 days
Vidaza (azacitidine) vials	Maximum of 17 vials every 28 days
Viekira (dasabuvir/ombitasvir/paritaprevir/ritonavir) Dose Pak	Minimum age = 18 <b>For dose pack:</b> Maximum of 4 tablets per day Maximum of 112 tablets every 25 days Maximum of 672 tablets per lifetime
Vigamox (moxifloxacin) drops	Maximum of 6ml every 30 days



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Viibryd (vilazodone) tablets, starter kit	Minimum age = 18; Maximum of 40 mg per day (excluding starter kits) <b>For Starter Kits:</b> Maximum of 30 tablets (1 kit) every 30 days Maximum of 1 fill every 180 days <b>For 10 mg tablets:</b> Maximum of 1 tablet per day <b>For 20 mg tablets:</b> Maximum of 2 tablets per day
Vijoice (alpelisib) daily dose pack, granule packet, tablets	Minimum age = 2
Vimpat (lacosamide) solution/tablets	Maximum of 400 mg per day <b>For tablets:</b> Maximum of 2 tablets per day <b>For solution:</b> Maximum of 40 mLs per day
Viokace (lipase/protease/amylase) tablets	Minimum age = 18
Vitekta (elvitegravir) tablets	Minimum age = 18; Maximum of 1 tablet per day
Vivelle-Dot (estradiol) patches	Maximum of 8 patches every 30 days
Vivimusta (bendamustine) vial	Minimum age = 18
Vivitrol (naltrexone) 380mg ER suspension for injection	Minimum age = 18; Maximum 1 injection every 28 days
Vizimpro (dacomitinib) tablets	Minimum age = 18; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Vocabria (cabotegravir sodium) tablets	Minimum age = 12; Maximum of 1 tablet per day
Vogelxo (testosterone) gel	Minimum age = 18
Vonjo (pacritinib citrate) capsules	Minimum age = 18
Voquezna (vonoprazan fumarate) tablets	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Voquezna Dual (vonoprazan/amoxicillin)/ Triple (vonoprazan/amoxicillin/clarithromycin) Pak	Minimum age = 18
Voranigo (vorasidenib citrate) tablet	Minimum age = 12
Vosevi (sofosbuvir/velpatasvir/voxilaprevir) 400-100mg tablets	Minimum age = 18; Maximum of 1 tab per day; Maximum of 84 tablets per lifetime
Votrient (pazopanib) tablets	Minimum age = 18; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days
Vowst (fecal microbio spore;live-brpk) capsule	Minimum age = 18
Voxzogo (vosoritide) vial	Maximum age = 16
Voydeya (danicipan) tablets/dose tablets	Minimum age = 18
Vpriv (velaglycerase alfa) Vials	Minimum age = 4; Maximum of 41 vials every 28 days
Vraylar (cariprazine) capsules, 1.5mg-3mg pack	Minimum age = 18; <b>For Capsules:</b> Maximum of 1 capsule per day Maximum of 6mg per day <b>For 1.5-3mg Pack:</b> Maximum of 1 fill every 365 days
Vtama (tapinarof) cream	Minimum age = 2
Vumerity (diroximel fumarate) DR 231mg capsule	Minimum age = 18
Vyalev (foscarbidopa/foslevodopa) vial	Minimum age = 18
Vyepti (eptinezumab-jjmr) vials	Minimum age = 18
Vyloy (zolbetuximab-CLZB) vial	Minimum age = 18
Vyndamax (tafamidis) capsules	Minimum age = 18
Vyndaqel (tafamidis meglumine) capsule	Minimum age = 18
Vyvanse (lisdexamfetamine) capsules, chewable tablet	Minimum age = 6; Maximum of 1 capsule/chewable tablet per day
Vyvgart (efgartigimod alfa-fcab) 400 mg/20 ml vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Vyvgart Hytrulo (efgartigimod-hyaluronidas-QVFC)	Minimum age = 18
Vyxeos (daunorubicin/cytarabine) vial	Minimum age = 1
Wainua (eplontersen sodium) auto injector	Minimum age = 18
Wakix (pitolisant) tablets	Minimum age = 18
Welireg (belzutifan) tablets	Minimum age = 18
Wellbutrin (bupropion) SR 100mg, 150mg, & 200mg tablets	Minimum age = 6 Maximum of 2 tablets per day; Maximum of 400 mg per day
Wellbutrin (bupropion) XL 150mg & 300mg tablets	Minimum age = 6 Maximum of 1 tablet per day; Maximum of 300 mg per day
Wezlana (ustekinumab-AUUB) syringe, vial	Minimum age = 6
Winlevi (clascoterone) cream	Minimum age = 12
Winrevair (sotatercept-CSRK) vial/kit	Minimum age = 18
WinRho (Rho(D) Immune Globulin)	Maximum of 2 prescriptions every 365 days
Wixela (fluticasone/salmeterol) inhaler	Minimum age = 4
Wynzora (calcipotriene/betamethasone) cream	Minimum age = 18
Xaciatto (clindamycin phosphate) 2% vaginal gel	Minimum age = 12
Xalatan (latanoprost) drops	Maximum of 5ml every 30 days
Xalkori (crizotinib) Capsules	Minimum age = 1; Maximum of 2 capsules per day; Maximum of 60 capsules every 30 days
Xanax (alprazolam) – not including XR/ER	Minimum age = 7; Maximum of 5 tablets per day; Maximum of 150 tablets every 30 days
Xanax XR (alprazolam ER)	Minimum age = 18; Maximum of 30 tablets every 30 days
Xdemvy (lotilaner) drop	Minimum age = 18





## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Xeljanz (tofacitinib citrate) solution	Minimum age = 2; Maximum age = 12; Maximum of 10mL per day
Xeljanz (tofacitinib) tablets	Minimum age = 2; Maximum 2 tablet per day
Xeljanz (tofacitinib) XR tablets	Minimum age = 18; Maximum 1 tablet per day
Xeloda (capecitabine) Tablets	Minimum age = 18; Maximum of 178 tablets every 27 days
Xelstrym (dextroamphetamine) patches	Minimum age = 6
Xembify (immune globulin, gamma(igg)klhw) vial	Minimum age = 2
Xenazine (tetrabenazine) Tablets	Minimum age = 18 Maximum of 100 mg per day <b>For 12.5 mg tablets:</b> Maximum of 3 tablets per day <b>For 25 mg tablets:</b> Maximum of 4 tablets per day
Xenleta (lefamulin acetate) tablets/vials	Minimum age = 18
Xerava (eravacycline di-hydrochloride) vial	Minimum age = 18
Xermelo (telotristat ethyl) 25mg tablets	Minimum age = 18
Xgeva (denosumab) vial	Minimum age = 12
Xhance (fluticasone propionate) nasal spray	Minimum age = 18
Xifaxan (rifaximin) Tablets	Minimum age = 12
Xigduo (dapagliflozin/metformin hcl) XR tablet	Minimum age = 10 <b>For XR 5-500mg, XR 10-500mg, XR 10-1000mg tablets:</b> Maximum of 1 tablet per day <b>For XR 5-1000mg, XR 2.5-1000mg tablets:</b> Maximum of 2 tablets per day
Ximino (minocycline) ER capsule	Minimum age = 12
Xofluza (baloxavir marboxil) tablets	Minimum age = 5



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Xolair (omalizumab) Powder for Injection	Minimum age = 1
Xolremdi (mavoxifafor) capsule	Minimum age = 12
Xopenex (levalbuterol) Nebulizer solution	Maximum of 288ml (4 Boxes) every 30 days
Xopenex (levalbuterol) HFA	Maximum of 30g (2 inhalers) every 30 days
Xospata (gilteritinib) tablets	Minimum age = 18; Maximum of 3 tablets per day; Maximum of 90 tablets every 30 days
Xphozah (tenapanor hcl) tablets	Minimum age = 18
Xtampza ER (oxycodone myristate) capsules	Minimum Age= 18
Xtandi (enzalutamide) Capsules	Minimum age = 18; Maximum of 4 capsules per day; Maximum of 120 capsules every 30 days
Xulane (ethinyl estradiol /norelgestromin) Transdermal Patch	Minimum age = 12
Xultophy (insulin degludec/liraglutide) pen	Minimum age = 18; Maximum of 15 mLs (1 box) every 30 days; Maximum day supply per fill = 105 days
Xyosted (testosterone enanthate) auto-injector	Minimum age = 18
Xyrem (sodium oxybate) Solution	Minimum age = 7
Xywav (calcium/magnesium/potassium/sodium oxybates) 0.5gm/ml oral solution	Minimum age = 7
Yargesa (miglustat) capsule	Minimum age = 18; Maximum of 3 capsules per day
Ycanth (cantharidin) 0.7% solution	Minimum age = 2
Yervoy (ipilimumab) solution for injection	Minimum age = 12
<b>Yesintek (ustekinumab-KFCE) syringe</b>	<b>Minimum age = 6</b>
Yonsa (abiraterone acet,submicronized) 125 mg tablet	Minimum age = 18; Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days
Yorvipath (palopegteriparatide) pen	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Yuflyma (adalimumab-AATY) (CF) autoinjector, syringe kit	Minimum age = 2
Yusimry (CF) (adalimumab-AQVH) pen	Minimum age = 2
Zanaflex (tizanidine) capsules/tablets	Maximum of 36mg per day
Zavesca (miglustat) Capsules	Minimum age = 18; Maximum of 3 capsules per day
Zavzpret (zavegepant hcl) nasal spray	Minimum age = 18
Zegalogue (dasiglucagon) auto injector, syringe	Minimum age = 6
Zegerid (omeprazole/sodium bicarbonate) capsules/packets	Minimum age = 18; Maximum of 1 capsule/packet per day
Zejula (niraparib tosylate) capsules, tablets	Minimum age = 18; Maximum of 1 capsule/tablet per day
Zelapar (selegiline)	Minimum age = 18
Zelboraf (vemurafenib) Tablet	Minimum age = 18; Maximum of 8 tablets per day; Maximum of 240 tablets every 30 days
Zelnorm (tegaserod hydrogen maleate) tablets	Minimum age = 18 Maximum age = 64
Zemaira (alpha-1-proteinase inhibitor human)	Minimum age = 18
Zembrace (sumatriptan) Symtouch pen injectable	Minimum age = 18; Maximum of 2mL every 30 days
Zenatane (isotretinoin) 10mg, 20mg, 30mg, 40mg capsules	Minimum age = 12
Zenzedi (dextroamphetamine) 2.5mg, 5mg, 7.5mg Tablets	Minimum age = 3; Maximum of 2 tablet per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Zenzedi (dextroamphetamine) 10mg, 15mg Tablets	Minimum age = 3; Maximum of 1 tablet per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Zenzedi (dextroamphetamine) 20mg Tablets	Minimum age = 3; Maximum of 0.75 tablets per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Zenzedi (dextroamphetamine) 30mg Tablets	Minimum age = 3; Maximum of 0.5 tablets per day for ages = 0-5 Maximum of 2 tablets per day for ages ≥ 18
Zepatier (elbasvir/grazoprevir) tablets	Minimum age = 12; Maximum of 1 tablet per day; Maximum of 112 tablets per lifetime
Zeposia (ozanimod) capsule, kit, starter pack	Minimum age = 18
Zepzelca (lurbinectedin) vial	Minimum age = 18
Zetia (ezetimibe) Tablets	Minimum age = 10; Maximum of 1 tablet per day; Maximum of 30 tablets every 30 days
Ziana (clindamycin/tretinoin) Gel	Minimum Age= 12
Ziihera (zanidatamab-HR1I) vial	Minimum age = 18
Zilbrysq (ziluocoplan sodium) syringe	Minimum age = 18
Zilxi (minocycline) 1.5% foam	Minimum age = 18
Zimhi (naloxone HCL) syringe	Maximum of 2mLs (4 injections) per year
Zinecard (dexrazoxane) 250mg, 500 mg vial	Minimum age = 18
Zinplava (bezlotoxumab) vial	Minimum age = 1
Zipsor (diclofenac potassium) 25mg capsule	Minimum age = 12
Zirabev (bevacizumab-BVZR) vials	Minimum age = 18; Maximum of 110mLs every 30 days
Zituvimet (sitagliptin/metformin hcl) tablet	Minimum age = 18
Zofran (ondansetron) 2mg/ml Vial	Maximum of 32ml every 28 days
Zofran (ondansetron)/ODT 4mg, 8mg	Maximum of 60 tablets every 30 days
Zofran (ondansetron) 4mg/5ml Solution	Maximum of 600ml every 28 days
Zohydro (hydrocodone) ER Capsules	Minimum age = 18; Maximum of 2 capsules per day (Excluding recipients with a diagnosis of cancer or sickle cell)
Zoladex (goserelin ) implant 3.6mg	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Zoladex (goserelin ) implant 10.8mg	Minimum age = 18
Zolgensma (onasemnogene abeparvovec-xioi) kit	Maximum age = 1 (includes age up until 2nd birthday)
Zolinza (vorinostat) Capsules	Minimum age = 18; Maximum of 4 capsules per day; Maximum of 120 capsules every 30 days
Zoloft (sertraline) tablets, solution	Minimum age =6; <b>For ages ≤ 5 years:</b> Maximum of 75 mg per day <b>For ages ≥ 6 years:</b> Maximum of 200 mg per day <b>For 25mg and 50mg tablets:</b> Maximum of 3 tablets per day <b>For 100mg tablets:</b> Maximum of 2 tablets per day <b>For 20mg/mL solution:</b> Maximum age = 11; Maximum of 10ml per day
Zolpidem tartrate capsule	Minimum age = 18 Maximum age = 65
Zolpimist (zolpidem tartrate) oral spray	Minimum age = 18
Zomig (zolmitriptan) 2.5mg, 5mg, 2.5mg ZMT, 5mg ZMT tablets	Minimum age = 18; Maximum of 6 tablets every 30 days
Zomig (zolmitriptan) Nasal Spray	Minimum age = 12; Maximum of 6 units every 30 days
Zortress (everolimus) tablets	Minimum age = 18
Zoryve (roflumilast)	<b>For Cream:</b> Minimum age = 6 <b>For Foam:</b> Minimum age = 9



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Zovirax (acyclovir) cream/ointment	Minimum age = 12; <b>For Cream:</b> Maximum of 15 grams every 30 days <b>For Ointment:</b> Maximum of 30 grams every 30 days
Ztalmy (ganaxolone) oral suspension	Minimum age = 2
ZTlido (lidocaine) 1.8% topical system	Maximum of 90 patches every 30 days
Zurzuvae (zuranolone) capsule	Minimum age = 18
Zubsolv (buprenorphine/naloxone) sublingual tablets	Minimum age = 16; Maximum of 3 sublingual tablets per day
Zyban (bupropion) ER tablets	Minimum age = 18; Maximum of 2 tablets per day
Zyclara (imiquimod) cream pump, cream (packets)	Minimum age = 12; <b>For cream pump:</b> Maximum of 2 fills every 365 days <b>For cream (packets):</b> Maximum of 56 packets every 365 days
Zydelig (idelalisib) tablets	Minimum age = 18; Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days
Zykadia (ceritinib) capsules, tablets	Minimum age = 18; <b>For capsules:</b> Maximum of 5 capsules per days; Maximum of 150 capsules every 30 days <b>For tablets:</b> Maximum of 84 tablets every 28 days
Zymfentra (infliximab-DYYB) pen, syringe kit	Minimum age = 18
Zynlonta (loncastuximab tesirine-lpyl) vial	Minimum age = 18
Zynrelef (bupivacaine/meloxicam) vial	Minimum age = 18
Zynyz (retifanlimab-DLWR) vial	Minimum age = 18



## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Summary of Drug Limitations	
Zyprexa (olanzapine) tablets (excluding vials)	Minimum age = 6; Maximum of 10mg per day for ages = 6 - 11; Maximum of 20mg per day for ages = 12-17
Zyprexa (olanzapine) tablets (excluding vials and 15mg tablets)	Minimum age = 6; Maximum of 1 tablet per day for age ≥ 18
Zyprexa (olanzapine) 15mg tablet	Minimum age = 6; Maximum of 2 tablets (30mg) per day for age ≥ 18
Zyprexa Relprevv 210mg, 300mg vials	Minimum age = 18; Maximum of 2 vials every 28 day for ages ≥ 18
Zyprexa Relprevv 405mg vials	Minimum age = 18; Maximum of 1 vial every 28 day for ages ≥ 18
Zyprexa 10mg vial	Minimum age = 18; Maximum of 3 vials per day for ages ≥ 18
Zyprexa (olanzapine) Zydys 5mg, 10mg, 20mg tablets	Minimum age = 6; Maximum of 1 tablet per day for ages = 6 -17; Maximum of 1 tablet per day for ages ≥ 18
Zyprexa (olanzapine) Zydys 15mg tablets	Minimum age = 6; Maximum of 1 tablet per day for ages = 6 -17; Maximum of 2 tablet per day for ages ≥ 18
Zytiga (abiraterone) tablets	Minimum age = 18; <b>For 250mg tablets:</b> Maximum of 4 tablets per day; Maximum of 120 tablets every 30 days <b>For 500mg tablets:</b> Maximum of 2 tablets per day; Maximum of 60 tablets every 30 days

\* All limitations are applicable to Brand and Generic formulations

\*\* Separate quantity limits for Xanax, Ativan, and Diazepam tablets

\*\*\*Separate quantity limits for Halcion, Midazolam, and Sonata



RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

### Diabetic Supply Products (DSP) limits:

Summary of Limitations	
CeQur Inserter	Maximum of 1 every 2 years
CeQur Patch	Maximum of 10 every 30 days
Continuous Glucose Monitors	Maximum of 1 per year
Dexcom Sensor/Transmitter	<b>For Sensor:</b> Maximum of 3 every 28 days <b>For transmitter:</b> Maximum of 1 every 90 days
Diabetic Alcohol Swabs	Maximum of 2 boxes per month
Diabetic Control Solution	Maximum of 1 bottle every 180 days
Diabetic Insulin Pump	Maximum of 1 every 5 years
Diabetic Ketone Strips	Maximum of 1 per day Maximum days supply = 50
Diabetic Glucose Meter	Maximum of 1 per year
Diabetic Glucose Strips, Lancets, Pen Needles, and Syringes	Maximum of 200 every 28 days
Diabetic Lancet Device	Maximum of 2 per year
Eversense Sensor/Transmitter	<b>For sensor holder:</b> Maximum of 1 every 180 days <b>For transmitters:</b> Maximum of 1 per year
Freestyle Libre Sensor	Maximum of 2 every 28 days





RON DESANTIS  
GOVERNOR

JASON WEIDA  
SECRETARY

## SUMMARY OF DRUG LIMITATIONS

Medications listed in this document may or may not require a prior authorization.

Please view the Preferred Drug List at: [http://ahca.myflorida.com/Medicaid/Prescribed\\_Drug/pharm\\_thera/fmpdl.shtml](http://ahca.myflorida.com/Medicaid/Prescribed_Drug/pharm_thera/fmpdl.shtml)

Guardian Sensor/Transmitter	<b>For sensor:</b> Maximum of 1 box every 28 days <b>For transmitters:</b> Maximum of 1 per year
Omnipod Pods	Maximum of 15 every 28 days
V-GO Device	Maximum of 30 every 30 days