

Antipsychotic (6 to < 18 Years of Age)

Maximum Length of Approval = 180 Days

Note: Form must be completed in full.

Reci		nt's N										Date	e of	Birth	(MN	/DD/	ΥΥΥ] /	Y)											
Pros	crib	oer's	Full	Nam	9																								
Pres	crib	er's	NPI				1	1																					
Pres	crib	er's	Phor	ne Nu	umbe	ər	1		1			-						Pres	scrib	er's	Fax	Num	ber	1	-		1	1	
			-				-														-				-				
PRO	VIDE	ER TY	PE O	R SP	ECIA	LTY:	-			•						СН	LD U	NDE	R STA	TE C		/CUS	TOD	Y:	_	Yes			No
ΡΑΤ	ENT	•	[] Ma	ale			Fema	ale							MEDI	CATI	ON R	EQU	EST:			New			Cont	tinua	tion	
HEIC	HT:				[] in	/	🗌 c	m	WEI	GHT:] lbs	/] kg	s I	3MI:				*	вмі %				
																BMI	Calc	ulato	r: * <u>h</u> i	tps://	www.	cdc.c	<u>ov/he</u>	althy	weigh	nt/bmi	/calcu	lator.	<u>html</u>
1.		edic			-					<u>C4</u>		44-						Dire	otio							0		4	
	r	Requ	este	a Ar	nips	sycn	οτις	(S)		3น	engi	(n						Dire	ctio	ns						QU	anti	y .	
•																													
2.	Di	iagn		:					Disr	rupti	ve B	ehav	vior	Diso	der			Disr	untiv	e M	ood	Dvs	requ	latio	on Die	sorde	er		
2.			osis 0HD tism		ctrur	n				•	ve B		vior	Disol	der							-	-		on Dis				
2.] AD] Au	HD	Spe					Sch	izop		ia			der							-	-		on Dis				
] AD] Au] Bip)HD tism oolar	Spe Disc	ordei				Sch Sch	izop izoa	hren ffect	ia ive D	Diso	rder		Irrita		Othe	er:						<u>.</u>				
2. 3.	L L Ta] AD] Au	0HD tism polar t Syr	Spe Disc npto	order oms:	[Ag		Sch Sch	izop izoa	hren ffect	ia	Diso	rder		Irrital	□ bility	Othe	er:	Self I	njuri	ous	Beha	avio	r				
	[[T a (c] AD] Au] Bip arget	0HD tism bolar t Syr t all t	Spe Disc npto hat a	order oms: upply	()		ggre	Sch Sch ssio	izop izoa	hren ffect	ia ive E mpul	Diso Isivi	rder Sy		Othe	bility	Othe	er:	Self I	njuri	ous	Beha	avio	r				
3 . 4 .	 (c Se	AD Au Bip arget heck	DHD tism bolar t Syr all t	Sper Disc npto hat a f Tar	order oms: opply oget	/) Sym	ptic	ggre	Sch Sch ssio	izop izoa	hren ffect	ia ive E mpul Mild	Diso Isivi I	rder sy		Othe derat	bility r: _	Othe	er: S 3 Ma	Self I	njuri	ous	Beha	avio	r	5	5 Ext	reme	
3. 4. 5.] AD] Au] Bip arget heck everi uncti	HD tism oolar t Syr all t i ty o i ona	Spe Disc npto hat a f Tar	order oms: opply oget oairr	∕) Sym	iptic ::	ggre	Sch Sch ssio	izop izoa	hren ffect □ 1 □ 1	ia ive E mpul Mild Mild	Diso Isivi I	rder sy		Othe	bility r: _	Othe	er:	Self I	njuri	ous	Beha	avio	r	5	5 Ext		
3 . 4 .	 	AD AU Bip Arget heck everi uncti revio	HD tism oolar t Syr all t ity o iona ous A	Sper Disc npto hat a f Tar I Imp Antip	order oms: opply oget oairr) Sym nent hotid	iptic :: c Tr	ggre oms:	Sch Sch ssio	izop izoa	hren ffect	ia ive E mpul Mild Mild onth	Diso Isivi I I I	rder Ey		Othe derat	bility r: re		er: S 3 Ma 3 Ma	self I rkec	njuri	ous	Beha] 4 S] 4 S	eve	r re re	□ 5 □ 5	i Ext	reme	
3. 4. 5.	 	AD AU Bip Arget heck everi uncti revio	HD tism oolar t Syr all t i ty o i ona	Sper Disc npto hat a f Tar I Imp Antip	order oms: opply oget oairr) Sym nent	iptic :: c Tr	ggre oms:	Sch Sch ssio	izop izoa	hren ffect	ia ive E mpul Mild Mild	Diso Isivi I I I	rder Ey		Othe derat	bility r: re		er: S 3 Ma	self I rkec	njuri	ous	Beha] 4 S] 4 S	eve	r	□ 5 □ 5	i Ext	reme	
3. 4. 5.	 	AD AU Bip Arget heck everi uncti revio	HD tism oolar t Syr all t ity o iona ous A	Sper Disc npto hat a f Tar I Imp Antip	order oms: opply oget oairr) Sym nent hotid	iptic :: c Tr	ggre oms:	Sch Sch ssio	izop izoa	hren ffect	ia ive E mpul Mild Mild onth	Diso Isivi I I I	rder Ey		Othe derat	bility r: re		er: S 3 Ma 3 Ma	self I rkec	njuri	ous	Beha] 4 S] 4 S	eve	r re re	□ 5 □ 5	i Ext	reme	



Antipsychotic (6 to < 18 Years of Age)

Maximum Length of Approval = 180 Days

Note: Form must be completed in full.

Rec	ipient's Ful	I Name			- r - r		-			-				-	-			1	<u>г г</u>	
7.	List all ot antidepre									takir	ng co	oncur	rently	with	the	antips	sycho	tic (i	e.,	
	Psychothe					Dose				Psych	hothe	erape	utic N	ledic	atior		[Dose	/day	
8.	Rationale	for pre	scribin	g antij	osycho	tic abo	ove r	naxin	num re	ecom	men	ded c	lose?	(if ap	plica	able)				
9.	ls your in ☐ Yes		-	ower d	lose an	ntipsyc	hoti	c trea	itment	?										
10.	Rationale	for pre	scribin	g 2 or	more a	antipsy	/cho	tics f	or >60	days	s (if a	pplic	able):							
						_														
11.	If your reals the pla						ic m	onoth	herapy	resu	ımed	with	in the	next	60 d	avs?				
	⊡ Ye		No		-	, please										-				
12.	Have met																mont	:hs?		
	*Official la		-	-	must b e:					tion c	of the	rapy,	labs a	re req	uired	•				
40												4.0	41	- 0						
13.	Has an as AIMs:	ssessme □ Yes		No	e Dysk	DISC	• •		n aone Yes		le las] No									
	*Official Fo				ent) mu				163	L			D	ate						
14.	Monitorin	g Plan:	RTC	:				L	abs: q		m	onths	s TI	D Scr	een:	q	I	mont	hs	
	Labs:	🗌 СВС		Prolact	in 🗌	CMP] Lipid	l Profile	е [] Ot	her, s	specify	':						
15.	Next App	ointmer	nt Date:	:	······															
Pre	scriber's Si	gnature:												Da	te:					
	ies of relate						•		•						/ilai t	10103)	, and t			

Mail or Fax Information to: Prime Therapeutics State Government Solutions LLC Prior Authorization P. O. Box 7082 Tallahassee, FL 32314-7082 Phone: 877-553-7481 Fax: 877-614-1078



Antipsychotic (6 to < 18 Years of Age)

Maximum Length of Approval = 180 Days

Note: Form must be completed in full.

FDA-approved agents and doses are considered most appropriate.

		FDA Information for 6–17 Age Group
Medication and Approved Use	Age Range	Dosing Instructions
		Aripiprazole
Bipolar Disorder	Pediatric age	Initial dose: 2 mg/day
(manic or mixed	10–17	Recommended dose: 10 mg/day
episodes)		Maximum dose: 30 mg/day
Schizophrenia	Pediatric age	Initial dose: 2 mg/day
	13–17	Recommended dose: 10 mg/day
		Maximum dose: 30 mg/day
Irritability associated	Pediatric age	Initial dose: 2 mg/day
with Autism	6–17	Recommended dose: 5–10 mg/day
		Maximum dose: 15 mg/day
		Lurasidone
Bipolar I Disorder	Pediatric age	Initial dose: 20 mg/day
(depression)	10-17	Recommended dose: 20-80 mg/day
		Maximum dose: 80 mg/day
Schizophrenia	Pediatric age	Initial dose: 40 mg/day
	10-17	Recommended dose: 40-80 mg/day
		Maximum dose: 80 mg/day
L. L		Olanzapine
Bipolar I Disorder	Pediatric age	Oral Formulation
(manic or mixed	13–17	Initial dose: 2.5–5 mg/day
epidsodes)		Target dose: 10 mg/day
Schizophrenia	Pediatric age	Initial dose: 2.5–5 mg/day
	13–17	Target dose: 10 mg/day
		Paliperidone
Schizophrenia	Pediatric age	Weight < 51kg: Initial Dose (3 mg/day)
	12–17	Recommended Dose (3–6 mg/day)
		Maximum Dose (6 mg/day)
		Weight ≥ 51kg: Initial Dose (3 mg/day)
		Recommended Dose (3–12 mg/day)
		Maximum Dose (12 mg/day) Risperidone
Bipolar I Disorder	Pediatric age	Initial dose: 0.5 mg/day
(manic or mixed	10–17	Titration: 0.5–1 mg/day
•		Recommended dose: 2.5 mg/day
episodes)		Kecommended dose: 2.5 mg/gav

Confidentiality Notice: The documents accompanying this transmission contain confidential health information that is legally privileged. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this information in error, please notify the sender (via return fax) immediately and arrange for the return or destruction of these documents. Distribution, reproduction or any other use of this transmission by any party other than the intended recipient is strictly prohibited.



Antipsychotic (6 to < 18 Years of Age)

Maximum Length of Approval = 180 Days

Note: Form must be completed in full.

		FDA Information for 6–17 Age Group
Medication and Approved Use	Age Range	Dosing Instructions
Irritability associated	Pediatric age	Initial dose: 0.25 mg/day (< 20 kg); 0.5 mg/day (≥ 20 kg)
with Autism	5–16	Titration: 0.25–0.5 mg at > or = 2 weeks
		Recommended dose: 0.5 mg/day (< 20 kg; 1 mg/day (≥ 20 kg)
		Effective dose range: 0.5–3 mg/day
Schizophrenia	Pediatric age	Initial dose: 0.5 mg/day
	13–17	Titration: 0.5–1 mg/day
		Target dose: 3 mg/day
		Effective dose range: 1–6 mg/day
		Quetiapine
Bipolar I Disorder	Pediatric age	Information provided is for the immediate release table formulation
(mania)	10–17	Day 1: 25 mg twice a day
		Day 2: Twice daily dosing totaling 100 mg
		Day 3: Twice daily dosing totaling 200 mg
		Day 4: Twice daily dosing totaling 300 mg
		Day 5: Twice daily dosing totaling 400 mg
		Further adjustments should be in increments no greater than 100 mg/per day
		within the recommended dose range of 400–600 mg/per day. Based on response and tolerability, may be administered three times daily.
Schizophrenia	Pediatric age	Information provided is for the immediate release tablet formulation
	12–17	Day 1: 25 mg twice daily
		Day 2: Twice daily dosing totaling 100 mg
		Day 3: Twice daily dosing totaling 200 mg
		Day 4: Twice daily dosing totaling 300 mg
		Day 5: Twice daily dosing totaling 400 mg
		Recommend dose range: 400–800 mg/day
		Further adjustments should be in increments no greater than 100 mg/per day
		within the recommended dose range of 400–800 mg/per day. Based on response and tolerability, may be administered three times daily.

Helpful Links:

- Access the following information at http://floridabhcenter.org/index.html:
 - Antispychotic High Dosing Table for Children and Adolescents
 - AIMS/DISCUS forms
 - Florida Medicaid Best Practice Psychotherapeutic Medication Guidelines for Children and Adolescents
- The Centers for Disease Control and Prevention (CDC) BMI Calculator for Children and Teens: <u>https://www.cdc.gov/healthyweight/bmi/calculator.html</u>

Confidentiality Notice: The documents accompanying this transmission contain confidential health information that is legally privileged. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this information in error, please notify the sender (via return fax) immediately and arrange for the return or destruction of these documents. Distribution, reproduction or any other use of this transmission by any party other than the intended recipient is strictly prohibited.